



**Calhoun: The NPS Institutional Archive**  
**DSpace Repository**

---

Department of Mechanical and Aerospace Engineering (MAE) Faculty and Researchers' Publications

---

2005-12-12

Convergence of Pseudospectral Methods for  
constrained Nonlinear Optimal Control  
problems, IEEE (44th; December 12-14;  
Seville, Spain)

Kang, Wei; Gong, Qi; Ross, I. Michael

IEEE

---

<https://hdl.handle.net/10945/29647>

---

This publication is a work of the U.S. Government as defined in Title 17, United States Code, Section 101. Copyright protection is not available for this work in the United States.

*Downloaded from NPS Archive: Calhoun*



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

**Dudley Knox Library / Naval Postgraduate School**  
**411 Dyer Road / 1 University Circle**  
**Monterey, California USA 93943**

<http://www.nps.edu/library>

# Convergence of Pseudospectral Methods for a Class of Discontinuous Optimal Control

Wei Kang, Qi Gong and I. Michael Ross

**Abstract**—We consider the optimal control of feedback linearizable dynamic systems subject to mixed state and control constraints. The optimal controller is allowed to be discontinuous including bang-bang control. Although the nonlinear system is assumed to be feedback linearizable, in general, the optimal control does not linearize the dynamics. The continuous optimal control problem is discretized using pseudospectral (PS) methods. We prove that the discretized problem is always feasible and that the optimal solution to the discretized, constrained problem converges to the possibly discontinuous optimal control of the continuous-time problem.

## I. INTRODUCTION

Over the last decade, pseudospectral (PS) methods have been used to solve a broad class of industrial-strength optimal control problems arising in low-thrust orbit transfers [3], spacecraft attitude control [17], ascent guidance [9], [11] and many others [12]. One of the main reasons for the popularity of PS methods is that they offer an exponential convergence rate for the approximation of analytic functions while providing Eulerian-like simplicity. This property is particularly attractive for control applications as it places real-time computation within easy reach of modern computational power [14]. PS methods also offer a ready approach to exploiting differential-geometric properties of a control system such as convexity and differential flatness [14]. For a recent result on flatness-based PS method, see [12].

The essential idea of pseudospectral methods is to approximate the continuous optimal control problems by PS discretization and solve the resulting optimization problem. The simplicity of this approach masks a wide range of deeply theoretical issues that lie at the intersection of approximation theory and control theory. Significant progress has been made in answering some fundamental questions. For instance, in [3], [13] a detailed relation between the necessary conditions of the continuous optimal control problem and the Karush-Kuhn-Tucker (KKT) condition of the discrete optimization problem is revealed. In [7], the feasibility of PS discretization is proved with relaxed inequality constraints. In [6], the existence and convergence results are proved for feedback linearizable nonlinear systems in an approach similar to the theory of consistent approximations [10]. All these results

rely on a key assumption that the optimal controller is at least continuous. Unfortunately, for many optimal control problems, this assumption is not valid, especially when the controller is constrained. In this situation, the optimal controller is likely to be discontinuous.

The consideration of discontinuous controller in computational optimal control is a very challenging problem. In [15], a PS knotting method is proposed to handle the discontinuities. A careful analysis of this method requires tools from nonsmooth analysis. Before such an analysis can be carried out, it is necessary to analyze the convergence of smooth approximations to nonsmooth functions. In the present paper, we address this problem. We provide existence and convergence results for a Legendre PS method for optimal control problems with discontinuous controller and feedback linearizable dynamics. We assume the dynamic system can be written in normal form. It permits a modification of the standard pseudospectral method [2], [13] in a manner that is similar to dynamic inversion. That is, we seek polynomial approximations of the state trajectories while the controls are determined by an exact satisfaction of the dynamics. This modification of a pseudospectral method permits us to prove sufficient conditions for the existence and convergence of PS discretizations with discontinuous controller. Furthermore, our method allows one to easily incorporate state and control constraints including mixed state and control constraints. Note that we do not linearize the dynamics by feedback control; rather, we find the optimal control for a generic cost function. Such problems are particularly common in astronomical applications where stringent performance requirements demand that the control be optimal rather than feasible as implied by the linearizing control. We show that, under mild conditions, the PS discretized optimization problem always has a feasible solution even when the controller is discontinuous. Further, we prove that the numerical solution converges to the solution of the original continuous-time constrained optimal control problem.

## II. THE PROBLEM AND ITS DISCRETIZATION

We consider the following constrained nonlinear Bolza problem (Problem B) with feedback linearizable dynamics.

**Problem B:** Minimize

$$J[x(\cdot), u(\cdot)] = \int_{-1}^1 F(x(t), u(t)) dt + E(x(-1), x(1)) \quad (1)$$

subject to the dynamics

$$\begin{aligned} \dot{x}_i(t) &= x_{i+1}(t), & i = 1, \dots, r-1 \\ \dot{x}_r(t) &= f(x(t)) + g(x(t))u(t) \end{aligned} \quad (2)$$

The research was supported in part by NPS, NASA and the Secretary of the Air Force.

Wei Kang, Department of Mathematics, Naval Postgraduate School, Monterey, CA, 93943, wkang@nps.edu

Qi Gong, Department of Mechanical and Astronautical Engineering, Naval Postgraduate School, Monterey, CA, 93943, qgong@nps.edu

I. Michael Ross, Department of Mechanical and Astronautical Engineering, Naval Postgraduate School, Monterey, CA, 93943, imross@nps.edu

almost everywhere on  $t \in [-1, 1]$ , and the constraints

$$h(x(t), u(t)) \leq 0 \quad (3)$$

$$e(x(-1), x(1)) = 0 \quad (4)$$

where  $x \in \mathbb{R}^r$ ,  $u \in \mathbb{R}$ , and  $F : \mathbb{R}^r \times \mathbb{R} \rightarrow \mathbb{R}$ ,  $E : \mathbb{R}^r \times \mathbb{R}^r \rightarrow \mathbb{R}$ ,  $f : \mathbb{R}^r \rightarrow \mathbb{R}$ ,  $g : \mathbb{R}^r \rightarrow \mathbb{R}$ ,  $e : \mathbb{R}^r \times \mathbb{R}^r \rightarrow \mathbb{R}^{N_e}$  and  $h : \mathbb{R}^r \times \mathbb{R} \rightarrow \mathbb{R}$  are Lipschitz continuous (over the domain) with respect to their arguments. For controllability reasons, we assume  $g(x) \neq 0$  for all  $x$ . We also assume that an optimal solution,  $(x^*(t), u^*(t))$ , of Problem B exists.

**Definition 1:** A function  $\psi(t) : [-1, 1] \rightarrow \mathbb{R}^k$  is called piecewise  $C^1$ , if there exist finite many points  $\tau_0 = -1 < \tau_1 < \dots < \tau_{s+1} = 1$  such that, on every subinterval  $(\tau_i, \tau_{i+1})$ ,  $i = 0, \dots, s$ ,  $\psi(t)$  is continuously differentiable and both  $\psi(t)$  and its derivative,  $\dot{\psi}(t)$ , are bounded. Furthermore,  $\psi(t)$  is continuous at  $\tau_j$  from at least one side, i.e.,  $\lim_{t \rightarrow \tau_j^-} \psi(t) = \psi(\tau_j)$  or  $\lim_{t \rightarrow \tau_j^+} \psi(t) = \psi(\tau_j)$ .

**Assumption 1:** The optimal state,  $x_r^*(t)$ , is assumed to be continuous and piecewise  $C^1$ . The optimal control input,  $u^*(t)$ , is assumed to be piecewise  $C^1$ .

Note that, according to Definition 1 and Assumption 1,  $u^*(t)$  could have finite many discontinuous points.

**Assumption 2:** The set  $\{(x, u) | h(x, u) \leq 0\}$  is convex.

In the next, we apply a pseudospectral (PS) computational method to discretize the continuous optimal control Problem B. We focus on the Legendre PS method for the purpose of brevity; the extension to other PS methods is trivial. The basic idea of Legendre PS method is to approximate  $(x_1(t), \dots, x_r(t))$  by  $N$ -th order polynomials  $(x_1^N(t), \dots, x_r^N(t))$  based on Lagrange interpolation of their values at the Legendre-Gauss-Lobatto (LGL) node points. Let  $t_0 = -1 < t_1 < \dots < t_N = 1$  be the LGL nodes defined as,  $t_0 = -1$ ,  $t_N = 1$ , and for  $k = 1, 2, \dots, N-1$ ,  $t_k$  are the roots of  $\dot{L}_N(t)$ , where  $\dot{L}_N(t)$  is the derivative of the  $N$ -th order Legendre polynomial  $L_N(t)$ . Let  $\bar{x}_k^N$  and  $\bar{u}_k^N$  be an approximation of a feasible solution  $(x(t), u(t))$  evaluated at the node  $t_k$ . Then,  $x^N(t)$  is used to approximate  $x(t)$  by,

$$x(t) \approx x^N(t) = \sum_{k=0}^N \bar{x}_k^N \phi_k(t), \quad (5)$$

where  $\phi_k(t)$  is defined by

$$\phi_k(t) = \frac{1}{N(N+1)L_N(t_k)} \frac{(t^2-1)\dot{L}_N(t)}{t-t_k}. \quad (6)$$

It is readily verifiable that  $\phi_k(t_j) = 1$ , if  $k = j$  and  $\phi_k(t_j) = 0$ , if  $k \neq j$ . The precise nature of the approximation indicated in (5) is the main focus of this paper. From (2), the control that generates the approximate state is given by,

$$u^N(t) = (\dot{x}_r^N(t) - f(x^N(t))) / g(x^N(t)) \quad (7)$$

Note that  $u^N(t)$  is not necessarily a polynomial and hence differs from a standard pseudospectral approximation. The derivative of  $x_i^N(t)$  at the LGL node  $t_k$  is given by

$$\dot{x}_i^N(t_k) = \sum_{j=0}^N D_{kj} x_j^N(t_j), \quad i = 1, 2, \dots, r$$

where the differentiation matrix  $D$  is defined by

$$D_{ik} = \begin{cases} \frac{L_N(t_i)}{L_N(t_k)} \frac{1}{t_i - t_k}, & \text{if } i \neq k; \\ -0.25N(N+1), & \text{if } i = k = 0; \\ 0.25N(N+1), & \text{if } i = k = N; \\ 0, & \text{otherwise} \end{cases}$$

Throughout the paper, we use the ‘‘bar’’ notation to denote corresponding variables in the discrete space, and the superscript  $N$  to denote the number of nodes used in discretization. Thus, let

$$\bar{x}_0^N = [\bar{x}_{10}^N \dots \bar{x}_{r0}^N]^T, \dots, \bar{x}_N^N = [\bar{x}_{1N}^N \dots \bar{x}_{rN}^N]^T$$

Note that the subscript in  $\bar{x}_k^N \in \mathbb{R}^r$  denotes an evaluation of the approximate state,  $x^N(t) \in \mathbb{R}^r$ , at the node  $t_k$  whereas  $x_k(t)$  denotes the  $k$ -th component of the exact state.

With these preliminaries, it is apparent that the approximate solutions must satisfy the following algebraic equations

$$D \begin{pmatrix} \bar{x}_{i0}^N \\ \vdots \\ \bar{x}_{iN}^N \end{pmatrix} = \begin{pmatrix} \bar{x}_{i+1,0}^N \\ \vdots \\ \bar{x}_{i+1,N}^N \end{pmatrix}, \quad i = 1, \dots, n-1 \quad (8)$$

$$D \begin{pmatrix} \bar{x}_{r0}^N \\ \vdots \\ \bar{x}_{rN}^N \end{pmatrix} = \begin{pmatrix} f(\bar{x}_0^N) + g(\bar{x}_0^N)\bar{u}_0^N \\ \vdots \\ f(\bar{x}_N^N) + g(\bar{x}_N^N)\bar{u}_N^N \end{pmatrix}$$

for feasibility with respect to the dynamics. In a standard pseudospectral method, it is quite common [14], [3], [2], [12] to discretize the mixed state- and control constraints as,

$$h(\bar{x}_k^N, \bar{u}_k^N) \leq 0, \quad k = 0, 1, \dots, N \quad (9)$$

Here, we propose the following relaxation,

$$h(\bar{x}_k^N, \bar{u}_k^N) \leq (N-r)^{-\frac{1}{4}} \cdot \mathbf{1}, \quad k = 0, 1, \dots, N \quad (10)$$

where  $\mathbf{1}$  denotes  $[1, \dots, 1]^T$ . When  $N$  tends to infinity, the difference between (9) and (10) vanishes. The purpose of this relaxation will be evident later. Similarly, we relax the endpoint condition  $e(x(-1), x(1)) = 0$ , to an inequality, i.e.,

$$\|e(\bar{x}_0^N, \bar{x}_N^N)\|_\infty \leq (N-r)^{-\frac{1}{4}}. \quad (11)$$

Finally, the cost functional  $J[x(\cdot), u(\cdot)]$  is approximated by the Gauss-Lobatto integration rule,

$$J[\cdot] \approx \bar{J}^N(\bar{X}, \bar{U}) = \sum_{k=0}^N F(\bar{x}_k^N, \bar{u}_k^N) w_k + E(\bar{x}_0^N, \bar{x}_N^N)$$

where  $w_k$  are the LGL weights given by

$$w_k = \frac{2}{N(N+1)} \frac{1}{[L_N(t_k)]^2},$$

and  $\bar{X} = [\bar{x}_0^N, \dots, \bar{x}_N^N]$ ,  $\bar{U} = [\bar{u}_0^N, \dots, \bar{u}_N^N]$ . Hence, the optimal control Problem B can be approximated by a nonlinear programming with  $\bar{J}^N$  as the objective function and (8)-(10)- (11) as constraints; this is summarized as:

**Problem B<sup>N</sup>:** Find  $\bar{x}_k^N \in \mathbb{R}^r$  and  $\bar{u}_k^N \in \mathbb{R}$  that minimize

$$\bar{J}^N(\bar{X}, \bar{U}) = \sum_{k=0}^N F(\bar{x}_k^N, \bar{u}_k^N) w_k + E(\bar{x}_0^N, \bar{x}_N^N) \quad (12)$$

subject to

$$D \begin{pmatrix} \bar{x}_{i0}^N \\ \vdots \\ \bar{x}_{iN}^N \end{pmatrix} = \begin{pmatrix} \bar{x}_{i+1,0}^N \\ \vdots \\ \bar{x}_{i+1,N}^N \end{pmatrix}, \quad i = 1, \dots, r-1 \quad (13)$$

$$D \begin{pmatrix} \bar{x}_{r0}^N \\ \vdots \\ \bar{x}_{rN}^N \end{pmatrix} = \begin{pmatrix} f(\bar{x}_0^N) + g(\bar{x}_0^N)\bar{u}_0^N \\ \vdots \\ f(\bar{x}_N^N) + g(\bar{x}_N^N)\bar{u}_N^N \end{pmatrix}$$

$$h(\bar{x}_k^N, \bar{u}_k^N) \leq (N-r)^{-\frac{1}{4}} \cdot \mathbf{1}, \quad (14)$$

$$\|e(\bar{x}_0^N, \bar{x}_N^N)\|_\infty \leq (N-r)^{-\frac{1}{4}} \quad (15)$$

for all  $0 \leq k \leq N$ .

Problem B<sup>N</sup> can be solved by an appropriate globally-convergent algorithm [5], for example, a sequential-quadratic programming method. This approach has been successfully used in solving an impressive array of problems (see for example, [9], [2], [11]).

### III. EXISTENCE RESULTS

For Problem B<sup>N</sup>, a fundamental question that needs to be answered is the following: does a feasible solution satisfying the discretized constraints exist around a feasible solution of the continuous problem? In [6], the feasibility of Problem B<sup>N</sup> is guaranteed under a critical assumption: the controller  $u(t)$  is continuous. However, in many problems, the optimal controller is discontinuous, for instance, bang-bang controller. In this section, we extend the result in [6], and show that Problem B<sup>N</sup> is always feasible even the optimal control of Problem B is discontinuous.

Let  $(x(t), u(t))$  be any feasible solution of Problem B, i.e.,  $(x(t), u(t))$  satisfying differential equation (2), constraint (3) and endpoint condition (4). Suppose Assumption 1 holds for  $(x(t), u(t))$ . Let  $-1 < \tau_1 < \dots < \tau_s < 1$  represent the discontinuity points of  $u(t)$ , and define

$$I_\delta = [-1, 1] \setminus \bigcup_{j=1}^s (\tau_j - \delta, \tau_j + \delta) \quad (16)$$

where  $\delta = (N - r)^{-\frac{1}{2}}$ . In other words,  $I_\delta$  represents the closed set in  $[-1, 1]$  by removing a  $\delta$  neighborhood around the discontinuous points of  $u(t)$ .

*Lemma 1:* For any feasible solution,  $(x(t), u(t))$ , of Problem B, satisfying Assumption 1-2, there exist continuous and piecewise  $C^1$  functions  $(z_1(t), \dots, z_r(t), v(t))$ , such that  $(z_1(t), \dots, z_r(t), v(t))$  satisfy differential equation (2) and the following conditions

$$h(z(t), v(t)) \leq C_1(N - r)^{-\frac{1}{2}} \cdot \mathbf{1} \quad (17)$$

$$\|e(z(-1), z(1))\|_\infty \leq C_2(N - r)^{-\frac{1}{2}} \quad (18)$$

$$\|z(t) - x(t)\|_\infty \leq C_3(N - r)^{-\frac{1}{2}} \quad (19)$$

$$|u(t) - v(t)| \leq C_4(N - r)^{-\frac{1}{2}}, \quad \forall t \in I_\delta \quad (20)$$

$$\sum_{i=1}^2 \|z_r^{(i)}(t)\|_\infty \leq C_5 + C_6(N - r)^{\frac{1}{2}} \quad (21)$$

where  $C_i$ ,  $1 \leq i \leq 6$ , are positive constants independent of  $N$  and  $z_r^{(i)}$  denotes the  $i$ -th order distribution derivative of  $z_r(t)$  (see [1] for the definition of distribution derivative).

*Proof:* Define a continuous function  $\hat{u}(t)$  as follows,

$$\hat{u}(t) = \begin{cases} (1 - \alpha)u(\tau_i - \delta) + \alpha u(\tau_i + \delta), \\ \quad \text{if } t \in [\tau_i - \delta, \tau_i + \delta], \quad 1 \leq i \leq s; \\ u(t), \quad \text{otherwise} \end{cases} \quad (22)$$

where  $\alpha = \frac{1}{2\delta}(t - \tau_i + \delta)$  and  $\delta = (N - r)^{-\frac{1}{2}}$ . So,  $\hat{u}(t)$  agrees with  $u(t)$  if  $t$  is not close to any point of discontinuity. If  $t$  is in a  $\delta$  neighborhood of discontinuity,  $\hat{u}(t)$  interpolates the points  $(\tau_i - \delta, u(\tau_i - \delta))$  and  $(\tau_i + \delta, u(\tau_i + \delta))$  by a straight line. A similar concept has been used in [15] to justify the PS knotting method. Let  $q(t) = f(x(t)) + g(x(t))\hat{u}(t)$ ,  $t \in [-1, 1]$ . Both  $\hat{u}(t)$  and  $q(t)$  are bounded, continuous, and

piecewise  $C^1$ . Next, define

$$\begin{aligned} z_r(t) &= \int_{-1}^t q(\tau) d\tau + x_r(0) \\ z_{i-1}(t) &= \int_{-1}^t z_i(\tau) d\tau + x_{i-1}(0), \quad i = r, \dots, 2 \\ v(t) &= [q(t) - f(z(t))]/g(z(t)) \end{aligned}$$

Apparently,  $(z(t), v(t))$  satisfy differential equation (2). In the next we will show that they also satisfy (17)-(20).

Denote  $M_1$  as the upper bound of  $|u(t)|$  for  $t \in [-1, 1]$ . From the definition of  $\hat{u}(t)$ , we have

$$\begin{aligned} \|u(t) - \hat{u}(t)\|_{L^1} &= \sum_{i=1}^s \int_{\tau_i - \delta}^{\tau_i + \delta} |(1 - \alpha)(u(\tau_i - \delta) - u(t)) \\ &\quad + \alpha(u(\tau_i + \delta) - u(t))| dt \leq 4sM_1(N - r)^{-\frac{1}{2}} \end{aligned}$$

Therefore,

$$\begin{aligned} \|\hat{x}_r(t) - q(t)\|_{L^1} &= \|g(x(t))(u(t) - \hat{u}(t))\|_{L^1} \\ &\leq 4sM_1M_2(N - r)^{-\frac{1}{2}} \end{aligned} \quad (23)$$

where  $M_2$  is an upper bound of  $|g(x(t))|$  for  $t \in [-1, 1]$ . From (23), it is not difficult to show,  $\forall t \in [-1, 1]$ ,

$$|x_i(t) - z_i(t)| \leq 2^{r-i+2} sM_1M_2(N - r)^{-\frac{1}{2}} \quad (24)$$

where  $i = 1, 2, \dots, r$ . Hence, (19) holds with  $C_3 = 2^{r+1} sM_1M_2$ . Next,  $\forall t \in [-1, 1]$ ,

$$\begin{aligned} |v(t) - \hat{u}(t)| &= \left| \frac{q(t) - f(z(t))}{g(z(t))} - \frac{q(t) - f(x(t))}{g(x(t))} \right| \\ &\leq rK_1\|z(t) - x(t)\|_\infty \leq 2^{r+1} srM_1M_2K_1(N - r)^{-\frac{1}{2}} \end{aligned} \quad (25)$$

where  $K_1$  is determined by the upper bound of  $q(t)$  and the Lipschitz constants of  $1/g(x)$  and  $f(x)/g(x)$ . By definition,  $u(t) = \hat{u}(t)$  for all  $t \in I_\delta$ ; therefore, (20) is true with  $C_4 = 2^{r+1} srM_1M_2K_1$ .

For constraint (17), if  $|t - \tau_i| > \delta$ ,

$$h(x(t), \hat{u}(t)) = h(x(t), u(t)) \leq 0$$

If  $|t - \tau_i| \leq \delta$ , the convexity Assumption 2 implies

$$\begin{aligned} h(x(t), \hat{u}(t)) &= h((1 - \alpha)x(\tau_i - \delta) + \alpha x(\tau_i + \delta), \hat{u}(t)) \\ &\quad + h(x(t), \hat{u}(t)) - h((1 - \alpha)x(\tau_i - \delta) + \alpha x(\tau_i + \delta), \hat{u}(t)) \\ &\leq 0 + rK_2\|x(t) - ((1 - \alpha)x(\tau_i - \delta) + \alpha x(\tau_i + \delta))\|_\infty \\ &\leq 2rK_2M_3(N - r)^{-\frac{1}{2}} \end{aligned} \quad (26)$$

In the above derivation,  $K_2$  represents a Lipschitz constant of  $h(\cdot)$ ;  $M_3$  is an upper bound of  $|\dot{x}_i(t)|$ , for  $i = 1, \dots, r$  and  $t \in [-1, 1]$ . From (24)-(25)-(26),

$$\begin{aligned} h(z(t), v(t)) &= h(x(t), \hat{u}(t)) + h(z(t), v(t)) - h(x(t), \hat{u}(t)) \\ &\leq 2rK_2M_3(N - r)^{-\frac{1}{2}} \cdot \mathbf{1} + K_2(r\|z(t) - x(t)\|_\infty + \\ &\quad \|v(t) - \hat{u}(t)\|_\infty) \cdot \mathbf{1} \\ &\leq (2M_3 + (K_1 + 1)2^{r+1} sM_1M_2)rK_2(N - r)^{-\frac{1}{2}} \cdot \mathbf{1} \end{aligned}$$

Hence, constraint (17) holds with  $C_1 = (2M_3 + (K_1 + 1)2^{r+1} sM_1M_2)rK_2$ . Similarly, (18) can be verified with  $K_3$  be the Lipschitz constant of  $e(\cdot)$ . Finally, from the fact that  $\dot{z}_r(t) = q(t)$ , and using the definition of  $\hat{u}(t)$ , one can easily show (21). ■

With Lemma 1 in hand, we can further prove the following existence result.

*Theorem 1:* Given any feasible solution  $(x(t), u(t))$  of (2)-(3)-(4) in Problem B. Suppose Assumption 1-2 hold. Then there exists a positive integer  $N_1$  such that, for any  $N > N_1$ , the constraints (13)-(14)-(15) of Problem B<sup>N</sup> has a feasible solution  $(\bar{x}_k^N, \bar{u}_k^N)$ . Furthermore, the feasible solution satisfies

$$\begin{aligned} \|x(t_k) - \bar{x}_k^N\|_\infty &\leq (N-r)^{-\frac{1}{4}}, \quad 0 \leq k \leq N \quad (27) \\ |u(t_k) - \bar{u}_k^N| &\leq (N-r)^{-\frac{1}{4}}, \quad \forall t_k \in I_\delta \quad (28) \end{aligned}$$

where  $I_\delta$  is defined in (16).

*Proof:* From Lemma 1, there exist continuous and piecewise  $C^1$  function pair  $(z(t), v(t))$  satisfying the differential equations (2) and inequalities (17)-(20). Let  $p(t)$  be the  $(N-r)$ -th order best approximation polynomial of  $\dot{z}_r(t)$  in the norm of  $L^\infty(-1, 1)$ . The following estimation has been proved in the literature of spectral methods [1]

$$|\dot{z}_r(t) - p(t)| \leq C_0(N-r)^{-1} \sum_{i=1}^2 \|z_r^{(i)}\|_{L^\infty(-1, 1)} \quad (29)$$

$\forall t \in [-1, 1]$ . Substituting (21) to (29) leads to

$$|\dot{z}_r(t) - p(t)| \leq C_0 C_5 (N-r)^{-1} + C_0 C_6 (N-r)^{-\frac{1}{2}} \quad (30)$$

Let us define

$$\begin{aligned} \hat{x}_r(t) &= \int_{-1}^t p(\tau) d\tau + x_r(-1) \\ \hat{x}_{i-1}(t) &= \int_{-1}^t \hat{x}_i(\tau) d\tau + x_{i-1}(-1), \quad i = r \dots, 2 \\ \hat{v}(t) &= \frac{p(t) - f(\hat{x}_1(t), \dots, \hat{x}_r(t))}{g(\hat{x}_1(t), \dots, \hat{x}_r(t))} \end{aligned}$$

From (30), it is easy to show,  $\forall t \in [-1, 1]$

$$|z_i(t) - \hat{x}_i(t)| \leq 2^{r-i+1} C_0 [C_5 (N-r)^{-1} + C_6 (N-r)^{-\frac{1}{2}}] \quad (31)$$

and

$$\begin{aligned} |v(t) - \hat{v}(t)| &= \left| \frac{\dot{z}_r(t) - f(z(t))}{g(z(t))} - \frac{p(t) - f(\hat{x}(t))}{g(\hat{x}(t))} \right| \\ &\leq K_1 (|\dot{z}_r(t) - p(t)| + r \|z(t) - \hat{x}(t)\|_\infty) \\ &\leq C_0 K_1 (1 + r 2^r) (C_5 (N-r)^{-1} + C_6 (N-r)^{-\frac{1}{2}}) \quad (32) \end{aligned}$$

Define  $\bar{x}_k^N = \hat{x}(t_k)$ ,  $\bar{u}_k^N = \hat{v}(t_k)$ . In the following, we prove that  $(\bar{x}_k^N, \bar{u}_k^N)$  is a feasible solution of (13)-(14)-(15). Apparently,  $\hat{x}_1(t), \dots, \hat{x}_r(t)$  are polynomials of degree less than or equal to  $N$ . Moreover,  $(\hat{x}(t), \hat{v}(t))$  satisfies the differential equation (2) and has the same initial condition as  $x(-1)$ . Given any polynomial of degree less than or equal to  $N$ , it is known (see [1]) that its derivative at the nodes  $t_0, \dots, t_N$  is exactly equal to the value of the polynomial at the nodes multiplied by the differential matrix  $D$ . Thus

$$D \begin{pmatrix} \bar{x}_{i0}^N \\ \vdots \\ \bar{x}_{iN}^N \end{pmatrix} = \begin{pmatrix} \dot{\hat{x}}_i(t_0) \\ \vdots \\ \dot{\hat{x}}_i(t_N) \end{pmatrix} = \begin{pmatrix} \bar{x}_{i+1,0}^N \\ \vdots \\ \bar{x}_{i+1,N}^N \end{pmatrix}$$

where  $i = 1, 2, \dots, r-1$  and  $\bar{x}_{ik}^N$  is the  $i$ -th component of  $\bar{x}_k^N$ . At  $i = r$ , we have

$$D \begin{pmatrix} \bar{x}_{r0}^N \\ \vdots \\ \bar{x}_{rN}^N \end{pmatrix} = \begin{pmatrix} f(\hat{x}(t_0)) + g(\hat{x}(t_0))\hat{v}(t_0) \\ \vdots \\ f(\hat{x}(t_N)) + g(\hat{x}(t_N))\hat{v}(t_N) \end{pmatrix}$$

Therefore  $(\bar{x}_k^N, \bar{u}_k^N)$ ,  $k = 0, 1, \dots, N$ , satisfy the constraint equations in (13). In the next, we prove that the mixed

state-control constraint (14) is also satisfied. Because  $h(\cdot)$  is Lipschitz continuous, the following estimation holds.

$$\begin{aligned} &\|h(z(t), v(t)) - h(\hat{x}(t), \hat{v}(t))\|_\infty \\ &\leq K_2(r \|z(t) - \hat{x}(t)\|_\infty + |v(t) - \hat{v}(t)|) \\ &\leq K_2 C_0 (r 2^r + K_1 + r 2^r K_1) [C_5 (N-r)^{-1} + C_6 (N-r)^{-\frac{1}{2}}] \end{aligned}$$

Hence, by (17),

$$h(\hat{x}(t), \hat{v}(t)) \leq (L_1 (N-r)^{-1} + L_2 (N-r)^{-\frac{1}{2}}) \cdot 1$$

where

$$\begin{aligned} L_1 &= K_2 C_0 C_5 (r 2^r + K_1 + r 2^r K_1) \\ L_2 &= K_2 C_0 C_6 (r 2^r + K_1 + r 2^r K_1) + C_1 \end{aligned}$$

Since constants  $L_1$  and  $L_2$  are independent of  $N$ , there exists a positive integer  $N_1$  such that, for all  $N > N_1$ ,

$$L_1 (N-r)^{-1} + L_2 (N-r)^{-\frac{1}{2}} \leq (N-r)^{-\frac{1}{4}}$$

Therefore  $\hat{x}_1(t_k), \dots, \hat{x}_r(t_k), \hat{v}(t_k)$ ,  $k = 0, 1, \dots, N$ , satisfy mixed state and control constraint (14) for all  $N > N_1$ . The end-point condition (15) can be proved in the same way. Thus,  $(\bar{x}_k^N, \bar{u}_k^N)$  is a feasible solution to Problem B<sup>N</sup>.

As for (27)-(28), they can be easily deduced from (31)-(32) and (19)-(20) in Lemma 1. ■

*Remark 1:* Theorem 1 guarantees that Problem B<sup>N</sup> is well-posed with a nonempty feasible set as long as a sufficient number of nodes are chosen. More importantly, (27)-(28) show the existence of a feasible discrete solution inside any neighborhood around the continuous trajectory.

*Remark 2:* In the proof of Theorem 1 and Lemma 1, we actually established a stronger result than (27)-(28). That is

$$\begin{aligned} \|x(t) - \hat{x}(t)\|_\infty &\leq (N-r)^{-\frac{1}{4}}, \quad \forall t \in [-1, 1] \\ |u(t) - \hat{v}(t)| &\leq (N-r)^{-\frac{1}{4}}, \quad \forall t \in I_\delta \end{aligned}$$

These properties will be used later in the proof of the convergence of Legendre PS method.

#### IV. CONVERGENCE RESULTS

Let  $(\bar{x}_k^N, \bar{u}_k^N)$ ,  $k = 0, 1, \dots, N$ , be a feasible solution to Problem B<sup>N</sup>, and  $x^N(t) \in \mathbb{R}^r$  be the  $N$ th order interpolating polynomials of  $(\bar{x}_0^N, \dots, \bar{x}_N^N)$ , i.e.

$$x^N(t) = \sum_{k=0}^N \bar{x}_k^N \phi_k(t), \quad (33)$$

where  $\phi_k(t)$  is defined by (6). Also denote

$$u^N(t) = [\dot{x}_r^N(t) - f(x^N(t))] / g(x^N(t))$$

By the definition of  $u^N(t)$ , it is easy to show  $u^N(t_k) = \bar{u}_k^N$ .

Now consider a sequence of discrete feasible solution  $\{(\bar{x}_k^N, \bar{u}_k^N), k = 0, \dots, N\}_{N=N_1}^\infty$  and the corresponding interpolating polynomial sequence  $\{x^N(t)\}_{N=N_1}^\infty$  and the non-polynomial sequence  $\{u^N(t)\}_{N=N_1}^\infty$ .

*Assumption 3:* (a) For all  $1 \leq i \leq r$ , the sequences  $\{\bar{x}_{i0}^N\}_{N=N_1}^\infty$  converges as  $N \rightarrow \infty$ ; (b)  $\dot{x}_r^N(t)$  is uniformly bounded for  $N \geq N_1$  and  $t \in [-1, 1]$ ; (c) there exists a piecewise  $C^1$  function  $q(t)$  such that, for any fixed  $\epsilon > 0$ ,  $\dot{x}_r^N(t)$  converges to  $q(t)$  uniformly on interval  $I_\epsilon$ , where

$$I_\epsilon = [-1, 1] \setminus \bigcup_{j=1}^s (\tau_j - \epsilon, \tau_j + \epsilon) \quad (34)$$

and  $-1 < \tau_1 < \dots < \tau_s < 1$  are the discontinuity points of  $q(t)$ .

**Theorem 2:** Consider a sequence of feasible solutions  $(\bar{x}_k^N, \bar{u}_k^N)$ ,  $k = 0, 1, \dots, N$ , of (13)-(14)-(15) in Problem  $B^N$ . Suppose Assumption 3 holds. Then there exists a feasible solution,  $(x^\infty(t), u^\infty(t))$ , of (2)-(3)-(4) in the continuous optimal control Problem  $B$  such that the limit

$$\lim_{N \rightarrow \infty} (x^N(t) - x^\infty(t)) = 0 \quad (35)$$

converges uniformly on  $[-1, 1]$ , and the limit

$$\lim_{N \rightarrow \infty} (u^N(t) - u^\infty(t)) = 0 \quad (36)$$

converges uniformly on any closed set  $I_\epsilon$ .

*Proof:* Let  $x_{i0}$  be the limit of  $\{\bar{x}_{i0}^N\}_{N=N_1}^\infty$ . Then, define the following functions

$$\begin{aligned} x_r^\infty(t) &= \int_{-1}^t q(\tau) d\tau + x_{r0} \\ x_{i-1}^\infty(t) &= \int_{-1}^t x_i^\infty(\tau) d\tau + x_{i-1,0}, \quad i = r, \dots, 2 \\ u^\infty(t) &= \frac{q(t) - f(x_1^\infty(t), \dots, x_r^\infty(t))}{g(x_1^\infty(t), \dots, x_r^\infty(t))} \end{aligned}$$

Obviously,  $(x^\infty(t), u^\infty(t))$  satisfies the differential equation (2). Next, we prove (35)-(36) and the fact that  $(x^\infty(t), u^\infty(t))$  satisfies both the mixed constraints in (3) and end-point condition (4).

Let  $x_i^N(t)$  be the interpolating polynomial of  $\bar{x}_{i0}^N, \dots, \bar{x}_{iN}^N$ . Because  $(\bar{x}_k^N, \bar{u}_k^N)$  satisfies discrete state equation (13), it is easy to see

$$\begin{pmatrix} \dot{x}_i^N(t_0) \\ \vdots \\ \dot{x}_i^N(t_N) \end{pmatrix} = D \begin{pmatrix} \bar{x}_{i0}^N \\ \vdots \\ \bar{x}_{iN}^N \end{pmatrix} = \begin{pmatrix} x_{i+1}^N(t_0) \\ \vdots \\ x_{i+1}^N(t_N) \end{pmatrix}$$

for  $i = 1, 2, \dots, r-1$ . Hence the  $N$ -th order polynomial:

$$\dot{x}_i^N(t) - x_{i+1}^N(t) \quad (37)$$

has  $N+1$  different roots:  $t_0, \dots, t_N$ . Therefore,  $\dot{x}_i^N(t) = x_{i+1}^N(t)$ ,  $i = 1, \dots, r-1$ . Under Assumption 3,  $\dot{x}_r^N(t)$  is a bounded sequence that converges to  $q(t)$  almost everywhere, then  $\dot{x}_r^N(t)$  converges to  $q(t)$  in  $L^1$ . Therefore,

$$\begin{aligned} \lim_{N \rightarrow \infty} |x_r^N(t) - x_r^\infty(t)| &= \lim_{N \rightarrow \infty} \left| \int_{-1}^t (\dot{x}_r^N(\tau) - q(\tau)) d\tau \right| \\ &\leq \lim_{N \rightarrow \infty} \int_{-1}^1 |\dot{x}_r^N(\tau) - q(\tau)| d\tau = 0 \end{aligned}$$

Moreover, the limit converge uniformly in  $t$ . Hence, the following limit is also uniformly convergent

$$\lim_{N \rightarrow \infty} x_{r-1}^N(t) = \lim_{N \rightarrow \infty} \int_{-1}^t x_r^N(\tau) d\tau + x_{r-1,0} = x_{r-1}^\infty(t)$$

Following the same procedure, one can show

$$\lim_{N \rightarrow \infty} x_i^N(t) = x_i^\infty(t), \quad i = 1, 2, \dots, r$$

uniformly in  $t$ . Thus, (35) is proved. As for (36), it follows by the following inequality

$$\begin{aligned} |u^N(t) - u^\infty(t)| &= \left| \frac{\dot{x}_r^N(t) - f(x^N(t))}{g(x^N(t))} - \frac{q(t)}{g(x^\infty(t))} \right| \\ &+ \left| \frac{q(t)}{g(x^N(t))} - \frac{q(t) - f(x^\infty(t))}{g(x^\infty(t))} \right| \\ &\leq K_1 |\dot{x}_r^N(t) - q(t)| + rK_1 \|x^N(t) - x^\infty(t)\|_\infty \end{aligned}$$

and the fact that both  $\dot{x}_r^N(t) - q(t)$  and  $x^N(t) - x^\infty(t)$  converges to zero uniformly on any closed set  $I_\epsilon$ .

The endpoint condition  $e(x^\infty(-1), x^\infty(1)) = 0$  follows directly from the convergence property. Now, to show  $(x^\infty(t), u^\infty(t))$  is a feasible solution of Problem  $B$ , it is enough to prove the mixed state-control constraint  $h(x^\infty(t), u^\infty(t)) \leq 0$ . Using contradiction argument, suppose at a time instance  $\tau' \in (-1, 1)$ , there is a constraint  $h_i(\cdot)$ ,  $i \in \{1, 2, \dots, l\}$ , so that

$$h_i(x^\infty(\tau'), u^\infty(\tau')) > 0. \quad (38)$$

Since  $x^\infty(t)$  is continuous and  $u^\infty(t)$  is piecewise  $C^1$ , we can choose  $\tau'$  that is not in the set  $\{\tau_1, \dots, \tau_s\}$  without loss of generality. By the fact that the nodes  $t_k$  are getting dense as  $N$  tends to infinity [4], there exist a sequence  $j^N$  and a sufficiently small  $\epsilon$  such that,  $0 \leq j^N \leq N$ , the LGL nodes  $t_{j^N} \in I_\epsilon$  and  $\lim_{N \rightarrow \infty} t_{j^N} = \tau'$ . Then (35) and (36) imply

$$\lim_{N \rightarrow \infty} h_i(\bar{x}_{j^N}^N, \bar{u}_{j^N}^N) = h_i(x^\infty(\tau'), u^\infty(\tau')) > 0$$

It contradicts the mixed state-control constraint (14), in which the right side of the inequality approaches zero as  $N$  approaching infinity. ■

In Theorem 2, we proved a sufficient condition under which a sequence of discrete feasible solutions of Problem  $B^N$  converges to a feasible solution of the original continuous optimal control problem. Next, we study the optimal solution sequence of discrete Problem  $B^N$ . Before introducing our final convergence result, we need the following lemmas. Lemma 2-3 are known results (see [4]). The proof of Lemma 4 is omitted to save the space.

**Lemma 2:** Let  $t_k$ ,  $k = 0, 1, \dots, N$ , be the LGL nodes, and  $w_k$  be the LGL weights. Suppose  $\xi(t)$  is Riemann integrable; then,  $\int_{-1}^1 \xi(t) dt = \lim_{N \rightarrow \infty} \sum_{k=0}^N \xi(t_k) w_k$ .

**Lemma 3:** Given any interval  $[a, b] \subseteq [-1, 1]$ . Then

$$\lim_{N \rightarrow \infty} \sum_{t_k \in [a, b]} \omega_k = b - a \quad (39)$$

where  $t_k$  are LGL nodes.

**Lemma 4:** Suppose  $\{x^N(t)\}_{N \geq 1}$ ,  $x(t)$  are continuous and  $\{u^N(t)\}_{N \geq 1}$ ,  $u(t)$  are piecewise  $C^1$ . Suppose  $u^N(t)$  is uniformly bounded for all  $N \geq 1$  and  $t \in [-1, 1]$ . Moreover, assume the limit,  $\lim_{N \rightarrow \infty} x^N(t) = x(t)$ , converges uniformly on  $[-1, 1]$  and the limit,  $\lim_{N \rightarrow \infty} u^N(t) = u(t)$ , converges uniformly on any  $I_\epsilon$ , the closed set defined by  $\epsilon$  and the discontinuous points of  $u(t)$ . Then we have

$$\begin{aligned} \lim_{N \rightarrow \infty} \left\{ \sum_{k=0}^N F(x^N(t_k), u^N(t_k)) \omega_k + E(x^N(-1), x^N(1)) \right\} \\ = \int_{-1}^1 F(x(t), u(t)) dt + E(x(-1), x(1)) \end{aligned}$$

**Theorem 3:** Suppose Problem  $B$  satisfies Assumption 1-2. Let  $(\bar{x}_k^N, \bar{u}_k^N)$ ,  $k = 0, 1, \dots, N$ , be a sequence of discrete optimal solutions of Problem  $B^N$ . Assume the sequence satisfies Assumption 3. Then, there exists an optimal solution  $(x^*(t), u^*(t))$  of the continuous optimal control Problem  $B$  such that the following limits converge uniformly

$$\begin{aligned} \lim_{N \rightarrow \infty} (\bar{x}_k^N - x^*(t_k)) &= 0 \\ \lim_{N \rightarrow \infty} (\bar{u}_k^N - u^*(t_k)) &= 0, \quad t_k \in I_\epsilon \\ \lim_{N \rightarrow \infty} \bar{J}^N(\bar{X}^*, \bar{U}^*) &= J(x^*(\cdot), u^*(\cdot)) \end{aligned}$$

for all  $0 \leq k \leq N$  and any fixed  $\epsilon > 0$ .

*Proof:* According to Theorem 2, we know that the discrete optimal solutions uniformly converge to a feasible trajectory of the continuous problem. More specifically, there exists a continuous feasible solution,  $(x^\infty(t), u^\infty(t))$ , of (2)-(3)-(4) in Problem B such that

$$\begin{aligned} \lim_{N \rightarrow \infty} (\bar{x}_k^* - x^\infty(t_k)) &= 0 \\ \lim_{N \rightarrow \infty} (\bar{u}_k^* - u^\infty(t_k)) &= 0, \quad t_k \in I_\epsilon \end{aligned}$$

uniformly for  $0 \leq k \leq N$  and any fixed  $\epsilon > 0$ . In the next, we prove that  $(x^\infty(t), u^\infty(t))$  is indeed an optimal solution of the continuous optimal control problem. To this end, denote  $\bar{J}^N(\bar{X}^*, \bar{U}^*)$  and  $J(x^*(\cdot), u^*(\cdot))$  the optimal cost of Problem  $B^N$  and Problem B respectively, i.e.,

$$\bar{J}^N(\bar{X}^*, \bar{U}^*) = E(\bar{x}_0^*, \bar{x}_N^*) + \sum_{k=0}^N F(\bar{x}_k^*, \bar{u}_k^*) w_k$$

$$J(x^*(\cdot), u^*(\cdot)) = E(x^*(-1), x^*(1)) + \int_{-1}^1 F(x^*(t), u^*(t)) dt$$

where  $(x^*(t), u^*(t))$  denotes any optimal solution of Problem B (the optimal solution may not be unique). According to Theorem 1, there exists a sequence of feasible solutions,  $(\bar{x}_k^N, \bar{u}_k^N)$ , of (13)-(14)-(15) that uniformly converges to  $(x^*(t), u^*(t))$ . Now, from Lemma 4 and the optimality of  $(x^*(t), u^*(t))$  and  $(\bar{x}_k^N, \bar{u}_k^N)$ , we have

$$\begin{aligned} J(x^*(\cdot), u^*(\cdot)) &\leq J(x^\infty(\cdot), u^\infty(\cdot)) = \\ \lim_{N \rightarrow \infty} \bar{J}^N(\bar{X}^*, \bar{U}^*) &\leq \lim_{N \rightarrow \infty} \bar{J}^N(\bar{X}, \bar{U}) = J(x^*(\cdot), u^*(\cdot)) \end{aligned}$$

The last equation is deduced from Lemma 4 and Remark 2. Therefore, we proved  $J(x^*(\cdot), u^*(\cdot)) = J(x^\infty(\cdot), u^\infty(\cdot))$ . It is equivalent to say that  $(x^\infty(t), u^\infty(t))$  is a feasible solution that achieves optimal cost. Hence,  $(x^\infty(t), u^\infty(t))$  is an optimal solution to optimal control Problem B. ■

To illustrate the practical convergence of the PS method, consider the following problem from [8].

$$\begin{aligned} \text{Min.} \quad J &= \int_0^3 x(t) dt \\ \text{s.t.} \quad \dot{x} &= u \\ x(0) &= 1, \quad x(3) = 1 \\ |u| &\leq 1, \quad x \geq 0 \end{aligned}$$

In Figure 1, we show the time histories of the discrete-time optimal controller and the optimal state calculated by DIDO [16], a software package that implements many of the ideas articulated in this paper. A plot of the analytic optimal solution,

$$x^* = \begin{cases} 1-t \\ 0 \\ t-2 \end{cases}, \quad u^* = \begin{cases} -1 \\ 0 \\ 1 \end{cases}, \quad \text{for } t \in \begin{cases} [0, 1] \\ [1, 2] \\ (2, 3] \end{cases}$$

is also shown in Figure 1. Clearly, the discrete controller for  $N = 64$  is a very accurate approximation of the analytic optimal controller except in a small neighborhood around the discontinuous point. A plot of the maximum errors in the state with respect to nodes reveals the convergence property of the PS method. A more complex problem including feedback principles for discontinuous control is presented in [17].




Fig. 1. Optimal solutions

## REFERENCES

- [1] C. Canuto, M. Y. Hussaini, A. Quarteroni and T. A. Zang, *Spectral Method in Fluid Dynamics*. New York: Springer-Verlag, 1988.
- [2] G. Elnagar, M. A. Kazemi and M. Razzaghi, The pseudospectral Legendre method for discretizing optimal control problems, *IEEE Trans. Automat. Contr.* Vol. 40, pp. 1793-1796, 1995.
- [3] F. Fahroo and I. M. Ross, Costate estimation by a Legendre pseudospectral method, *AIAA Journal of Guidance, Control and Dynamics*, Vol. 24, No. 2, pp. 270-277, 2001.
- [4] G. Freud, *Orthogonal polynomials*. Pergamon Press, 1971.
- [5] P. E. Gill, W. Murray and M. A. Saunders, SNOPT: an SQP algorithm for large-scale constrained optimization, *SIAM J. of Opt.*, Vol. 12, No. 4, pp. 979-1006, 2002.
- [6] Q. Gong, W. Kang and I. M. Ross, A pseudospectral method for the optimal control of constrained feedback linearizable systems, *Proc. IEEE Conference on Control Applications*, Toronto, Canada, pp. 1033-1038, 2005.
- [7] Q. Gong, I. M. Ross, W. Kang, and F. Fahroo, Convergence of Pseudospectral Methods for Constrained Nonlinear Optimal Control Problems, *Proc. The IASTED International Conference on Intelligent Systems and Control*, Honolulu, HI, pp. 209-214, 2004.
- [8] R. F. Hartl, S. P. Sethi and R. G. Vickson, A survey of the maximum principles for optimal control problems with state constraints, *SIAM Review*, Vol. 37, No. 2, pp. 181-218, 1995.
- [9] P. Lu, H. Sun and B. Tsai, Closed-Loop Endoatmospheric Ascent Guidance, *Journal of Guidance, Control and Dynamics*, Vol. 26, No. 2, pp.283-294, 2003.
- [10] E. Polak, *Optimization: Algorithms and Consistent Approximations*, Springer-Verlag, Heidelberg, 1997.
- [11] J. Rea, Launch vehicle trajectory optimization using a Legendre pseudospectral method, *Proc. of the AIAA GNC Conference*, Austin, TX, Paper No. AIAA 2003-5640, August 2003.
- [12] I. M. Ross and F. Fahroo, Pseudospectral methods for optimal motion planning of differentially flat systems, *IEEE Transactions on Automatic Control*, Vol.49, No.8, pp.1410-1413, August 2004.
- [13] I. M. Ross and F. Fahroo, Legendre pseudospectral approximations of optimal control problems, *Lecture Notes in Control and Information Sciences*, Vol.295, Springer-Verlag, pp. 327-342, New York, 2003.
- [14] I. M. Ross and F. Fahroo, Issues in the Real-Time Computation of Optimal Control, *Mathematical and Computer Modelling*, Vol. 40, Pergamon Publication (to appear).
- [15] I. M. Ross and F. Fahroo, Pseudospectral Knotting Methods for Solving Optimal Control Problems, *Journal of Guidance, Control and Dynamics*, Vol. 27, No. 3, pp.397-405, 2004.
- [16] I. M. Ross, User's manual for DIDO: A MATLAB application package for solving optimal control problems, Technical Report 04-01.0, Tomlab Optimization, Inc, February 2004.
- [17] P. Sekhavat, A. Fleming and I. M. Ross, Time-optimal nonlinear feedback control for the NPSAT1 spacecraft, *Proc. of the 2005 IEEE/ASME International Conference on Advanced Intelligent Mechatronics*, AIM 2005, 2428, Monterey, CA, July 2005.