



Calhoun: The NPS Institutional Archive
DSpace Repository

Reports and Technical Reports

All Technical Reports Collection

2007

Gap analysis: rethinking the conceptual foundations

Langford, Gary O.; Franck, Raymond; Huynh, Tom; Lewis,
Ira A.

Monterey, California. Naval Postgraduate School

<https://hdl.handle.net/10945/411>

Downloaded from NPS Archive: Calhoun



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

Dudley Knox Library / Naval Postgraduate School
411 Dyer Road / 1 University Circle
Monterey, California USA 93943

<http://www.nps.edu/library>

NPS-AM-07-051



ACQUISITION RESEARCH SPONSORED REPORT SERIES

Gap Analysis: Rethinking the Conceptual Foundations

14 December 2007

by

Gary O. Langford, Lecturer,
Graduate School of Engineering & Applied Sciences

Dr. Raymond (Chip) Franck, Senior Lecturer,
Graduate School of Business & Public Policy

Dr. Tom Huynh, Associate Professor,
Graduate School of Engineering & Applied Sciences

Dr. Ira Lewis, Associate Professor,
Graduate School of Business & Public Policy

Naval Postgraduate School

Approved for public release, distribution is unlimited.

Prepared for: Naval Postgraduate School, Monterey, California 93943



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

The research presented in this report was supported by the Acquisition Chair of the Graduate School of Business & Public Policy at the Naval Postgraduate School.

To request Defense Acquisition Research or to become a research sponsor, please contact:

NPS Acquisition Research Program
Attn: James B. Greene, RADM, USN, (Ret)
Acquisition Chair
Graduate School of Business and Public Policy
Naval Postgraduate School
555 Dyer Road, Room 332
Monterey, CA 93943-5103
Tel: (831) 656-2092
Fax: (831) 656-2253
e-mail: jbgreene@nps.edu

Copies of the Acquisition Sponsored Research Reports may be printed from our website www.acquisitionresearch.org



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

Abstract

Gap Analysis is widely regarded as a useful tool to facilitate commercial and defense system acquisitions. This paper is a rethinking of the theoretical foundations and systematics of Gap Analysis with practical extensions to illustrate its utility and limitations. It also provides a new perspective on those theoretical foundations from the perspectives of systems and value engineering.

The growing sophistication and complexity of new systems or system of systems have resulted in a dramatic increase in time and money to reach operational capability. Gap Analysis, properly defined and enacted, clarifies goals, appropriate investment and the end-use.

Keywords: Gap, Gap Analysis, Value Acquisition, Value Engineering, Systems Engineering



THIS PAGE INTENTIONALLY LEFT BLANK



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

Acknowledgements

The authors acknowledge the interest and support from Rear Admiral William Rodriguez and Mr. Daniel Green (SPAWAR 05).

The authors acknowledge Professor Edouard Kujawski (Naval Postgraduate School) for his fecundity and significant contributions to the research.



THIS PAGE INTENTIONALLY LEFT BLANK



About the Authors

Gary Langford is a Lecturer in the Systems Engineering Department at the Naval Postgraduate School in Monterey, California. He teaches systems engineering, combat systems, and project management. His research interests include the theory of systems engineering and its application to military and commercial competitiveness. Additionally, Mr. Langford founded and ran five corporations—one NASDAQ listed. He was a NASA Ames Fellow. He received his MS in Physics from Cal State, Hayward; and his AB in Astronomy from the University of California, Berkeley.

Gary O. Langford
Department of Systems Engineering
Graduate School of Engineering and Applied Sciences
Naval Postgraduate School
222 Bullard Hall
777 Dyer Road
Monterey, CA 93943-5000
Email: golangfo@nps.edu

Raymond E. Franck is a Senior Lecturer in the School of Business and Public Policy, also at the Naval Postgraduate School (NPS). He teaches economics (generally), and pursues research primarily in the areas of military innovation and defense acquisition. Prior to joining the NPS faculty, Dr. Franck served for thirty-three years in the Air Force, retiring as a Brigadier General in 2000. His NPS service has included Interim Chair, Systems Engineering Department from 2002 to 2004. His undergraduate degree is from the Air Force Academy, doctorate from Harvard University.

Raymond E. Franck
Graduate School of Business and Public Policy
Naval Postgraduate School
203 Ingersoll Hall
555 Dyer Road
Monterey, CA 93943-5103
Email: refranck@nps.edu



Ira A. Lewis is an Associate Professor of Logistics in the School of Business and Public Policy, at the Naval Postgraduate School (NPS). He teaches logistics and operations management, and pursues research primarily in the areas of military logistics and financial operations. Prior to joining the NPS faculty, Dr. Lewis was Research Officer for Supply Chain Project in the Department of National Defence, Ottawa, Canada. His NPS service included personnel management and academic administration in the School, and Associate Dean for Faculty Affairs (2002 to 2006). His MBA is from University of Ottawa, doctorate from Arizona State University.

Ira A. Lewis
Graduate School of Business and Public Policy
Naval Postgraduate School
Ingersoll Hall
555 Dyer Road
Monterey, CA 93943-5103
Email: ialewis@nps.edu

Thomas Huynh is an Associate Professor in the Department of Systems Engineering at the School of Engineering and Applied Sciences, Naval Postgraduate School (NPS). He teaches systems engineering, project management, and acquisition. His research interests are uncertainty management in systems engineering, system scaling, and simulation-based acquisition. Prior to joining NPS faculty, Dr. Huynh worked for 23 years as Fellow, Modeling & Simulation and Information Sciences, Advanced Technology Center, Lockheed Martin Space Systems, Palo Alto. He is Academic Associate for the NPS Joint Executive Systems Engineering Management Program. His undergraduate degrees in Chemical Engineering and Mathematics are from University of California, Berkeley, his Masters and Doctorate degrees in Physics are from UC, Los Angeles.

Thomas V. Huynh
Department of Systems Engineering
Graduate School of Engineering and Applied Sciences
Naval Postgraduate School
Bullard Hall
777 Dyer Road
Monterey, CA 93943
Email: thuynh@nps.edu



NPS-AM-07-051



ACQUISITION RESEARCH SPONSORED REPORT SERIES

Gap Analysis: Rethinking the Conceptual Foundations

14 December 2007

by

Gary O. Langford, Lecturer,
Graduate School of Engineering & Applied Sciences

Dr. Raymond (Chip) Franck, Senior Lecturer,
Graduate School of Business & Public Policy

Dr. Tom Huynh, Associate Professor,
Graduate School of Engineering & Applied Sciences

Dr. Ira Lewis, Associate Professor,
Graduate School of Business & Public Policy

Naval Postgraduate School

Disclaimer: The views represented in this report are those of the author and do not reflect the official policy position of the Navy, the Department of Defense, or the Federal Government.



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

THIS PAGE INTENTIONALLY LEFT BLANK



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

Table of Contents

Executive Summary	xi
Introduction	1
Discussion	2
Gap Analysis Background.....	5
Research Objectives	7
Theory	7
Value	9
Worth.....	12
Discussion	18
General Formulation of Results	26
Results	29
DoD Competition	29
Summary and Conclusions	31
List of References	33
Initial Distribution List	37



THIS PAGE INTENTIONALLY LEFT BLANK



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

Executive Summary

The traditional Department of Defense style Gap Analysis can benefit from a broadly based methodology that combines value engineering and systems engineering. Value engineering improves the value of goods and service by being effective and efficient, while systems engineering focuses on development and organization of complex systems. Both rely on functional approaches that are analytical by their means and methodical by their natures. Gap Analysis is an assessment tool that compares a system's actual performance with its potential. Gap Analysis embodies both the notions of beginning and ending points as well as the path betwixt to achieve a desired capability. Combining value engineering with systems engineering offers a robust means to evaluate both the appropriate system requirements as well as the efficacy of fulfilling a stated mission objective given a set of alternatives. To facilitate such a success, we conjoined value engineering and systems engineering to build metrics and measures to ensure (1) delivery of lowest lifecycle cost acquisitions consistent with required performance, (2) strict adherence to appropriate capability-based requirements, and (3) alignment of budgets with acquisition decisions.



THIS PAGE INTENTIONALLY LEFT BLANK



ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL

Introduction

The challenge of successfully acquiring and operating a new system is to ensure that the mission will be accomplished within an acceptable level of loss. To that end there have been numerous attempts to develop and field systems that are intended to prevail in the event of conflict. How should these future systems be defined? Who is responsible? What processes guide the system requirements? If “we” perceive a deficiency or a desired goal that is different from that which we are intending, then there could exist a basis for gap in capability and therefore a desire to close the capability gap.

What you desire versus what you have is, in essence, a Gap. The Gap is as much the relationship between what is perceived to be *important* and the derived difference between performance and expectations. The methodology and analysis of that difference is the descriptive foundation for Gap Analysis. From a mission capability perspective, a Gap may consist of deficiencies in operational concepts, current or projected operational disadvantages, technologies, and understood future needs. To be specific, a Gap must be founded on the starting and ending points as well as the difference between these points. Quantifying these metrics typically involves evaluating a number of situations and mission scenarios in concert with actions, or more generally stated, guidance from policy and goals. Measures of Effectiveness (MOEs) have long formed the set of standards from which to determine how well a capability satisfies a requirement (Sproles 2002). MOEs are distinguishable from Measures of Performance (MOPs) in that MOEs offer the external view, while MOPs are more consistent with the internal view. The external view captures the system’s beginning and ending points, and the MOE of the candidate programs to fill the gap. The internal view involves measures of how well one fills the gap, through the MOPs. Therefore one must formulate both MOEs and MOPs to fully define a Gap. However, Chairman of the Joint Chiefs of Staff Instruction CJCSI 3170.01D Joint Capabilities Integration and Development System (12 March 2004) focuses on MOEs while there is no mention of MOPs. There is an implied admixture of MOEs and MOPs



defined as MOEs, but the essential qualities of performance based metrics are missing for carrying out activities and actions, for measuring functions, and from which to determine economic and numeric losses.

Gap Analysis is deeply embedded and fully institutionalized as a cornerstone of the United States Department of Defense (DoD) acquisition strategy, particularly in the critical process called Valuation of Alternative (VoA), formerly Analysis of Alternatives (AoA). It is the purpose of Gap Analysis within the DoD VoA process to report on the evaluation of the performance, operational effectiveness, operational suitability, and estimated costs of the alternative systems to meet a desired mission capability. In this context, the VoA assesses the advantages and disadvantages of alternatives under consideration.

The goal of the Department of Defense (DoD) Gap Analysis is to compare current capability to a set of requirements. Where differences arise, gaps are identified and quantified, and mitigations are prioritized and planned. This paper addresses the theoretical foundations and systematics of Gap Analysis with extensions to illustrate its utility as a useful management tool for both defense and commercial acquisition purposes. Without a considered theoretical foundation from which to conduct Gap Analysis, an inadequate level of guidance regarding appropriate methodology and analytical methods may well result. The metrics of Gap Analysis are defined on the basis of system value (Langford, 2006 and; Langford and Huynh, 2007) and assessed risks.

Discussion

For the US Department of Defense (DoD), the acquisition of goods and services follows the policies outlined in Directives, the Joint Capabilities Integration and Development System (JCIDS), and the Defense Acquisition Guidebook *DoD 5000* (the structure and operation of the defense acquisition system). In this context, Gap Analysis is a method for identifying the degree to which a current system satisfies a set of requirements. The goal of Gap Analysis is to align an anticipated future outcome with a



future reality that can be formulated, definitized, and established or constructed. But, Gap Analysis is not intended to close the space between the most distant extremes or the rarest occurrences. Rather, Gap Analysis is centered on the larger, more general aspects that are by and large not part of the present reality (referred to as the current reference frame). For the DoD, Gap Analysis grew out of the realization that relying solely on a threat-based approach (used as a primary driver of requirements until 2000) or a technology approach to determining future needs is both costly and largely ineffective. One of the concerns with threat-based methods lies with the notion of being guided by the will and intentions of others, as exemplified through an analysis of threats, their efficacy and robustness, rather than relying on our competitive advantages to define and frame future engagements.

Alternatively, a technology-centered approach is open-ended, with little constraint for what can be postulated. Acquisitions based on a technology approach may not result in a continuous presentation of appropriate military hardware that is consistent with lifecycle cost issues or the necessary capabilities in time of conflict. With only theoretical physics as the constraint, technology developments can extend twenty years or longer (e.g., ground-based, airborne, and space-based laser weapon systems). Even with an incremental approach to delivering products, usable incarnations of systems may be distanced by inadequacies in the phases of development and levels of integration. At issue is the availability of weapons systems and doctrine that can prevail in hostilities without (1) spending an enormous amount of money to sustain existing systems until new systems are delivered, and (2) having to develop a *needed* technology engineered and made available for use. Acquisitions based on a threat-based approach are always plagued by the credibility of the threat—the absolute measure of what an adversary will have available in the future.

Accordingly neither the technology nor the threat-based approaches address some of the persistent, perennial issues that fundamentally impact the implementations of Gap Analysis.



Since the turn of the century, DoD has concentrated on a capabilities-based approach, with defining capabilities identified top-down, imbued with characteristics of measures of effectiveness, supportability, time, distance, effect (including scale) and obstacles to overcome. Capability is defined by an operational user as the ability to execute a specified course of action (CJCSI 3170.01D).



Gap Analysis Background

The first reference to Gap Analysis was in the 1938 publication on the disjuncture between cultural goals and institutional norms (Merton, 1938). The notion was adapted to psychotic behavior (1950s), preferred biodiversity (1980s), personnel planning (1989), and more recently, competitive analysis and interest rates of financial instruments. Gap Analysis was referred to in a series of instructions from the Chairman of the Joint Chiefs of Staff throughout the 1990s with reference to defining gaps in capabilities requiring a material solution. In the late 1990s, the DoD infused a form of Gap Analysis into the acquisition process—comparing future threat-based assessments to current capability. Meanwhile program costs seemed out of control, major projects were cancelled, and functionality was not being delivered as desired. A memorandum from Secretary of Defense Donald Rumsfeld asked for ideas to fix the DoD process of determining system requirements (Rumsfeld, 2002). Gap Analysis had come into being and was thriving within the structure of the JCIDS process. The determinant factor for acquisition had moved from a threat-based premise to a capabilities-based identification of needs. While the threat continues to be a part of the acquisition process, part of the initial capabilities document (ICD) – the document that initiates the acquisition system management process, Gap Analysis is performed on the basis of desired capability.

While Gap Analysis should be neither technology-driven nor threat-driven, it is an approach that largely uses technology and threats as inputs to a vision-driven future. Gap Analysis is based on the high-level collective vision of *what we need*. This vision is discussed at the top levels of government within the context of the national security strategy; the strategic concepts postured for defense, the joint operations concepts, and the integrated architectures of US forces. The vision is then stated as a goal, one that is to be achieved methodically through a step-wise process. The problems with the existing formulation of Gap Analysis are determining: (1) what constitutes the foundation data, (2) which data are relevant to a future competitive analysis, (3) how should the relevant data



be structured to deal with the future issues within the proper context, (4) what are the assumptions and scaling rules used to extend the current state of industrial output, technology advances, and engineering developments, and (5) what process or methodology enforces consistency of performing Gap Analysis.



Research Objectives

The process of identifying needs and unsatisfied desires, or gaps in capability—in essence, the goal—is sometimes enacted through a set of ad-hoc processes and actions accompanied by analysis of alternatives. Closing the capability gap between what exists and what is wanted includes the aptitude required to develop something new and the reference point from which one starts. This is an Omni-dimensional problem that encompasses strategy, operations, systems engineering processes, and the compositional elements of the system. Technology readiness and maturity are integral parts of Gap Analysis.

The first step in improving Gap Analysis is to determine the underlying premises and fundamental metrics of such an Analysis. This paper investigates the theoretical issues of Gap Analysis and proposes seven metrics based on quantifiable worth, value, and risk. By developing the theory of Gap Analysis into a form that can be applied in a clear and consistent manner to the DoD acquisition process, the process of defining requirements can be addressed directly. Specifically, Worth metrics can be applied to a critical examination of foundation data; Risk metrics can be used to interpret the relevancy of data; an Enterprise Framework (which displays Worth and Risk metrics) can illustrate context at a given time; and assumptions can be definitively scrutinized. To further understand and determine the applicability of Gap Analysis for DoD acquisition, a final step in this work is to identify the general limitations of Gap Analysis and the general impositions that Gap Analysis places on the success of the acquisition process.

Theory

Gaps have to do with mechanical causal histories—the telelogic argument that gaps exist and can be ameliorated by goal-directed actions. Aristotle was the first philosopher to formulate an accountable theory of teleology founded on four causal properties: material, formal, efficient, and final. He argued that these four causes are



required to give a complete account of any event. The cause of material involves being made of matter (e.g., the product); the cause of formal involves relations between entities (e.g., the network); the cause of efficient involves acting in certain ways (e.g., the procedures); and the cause of final involves having specific goals towards which actions are directed (e.g., the use).

For the Department of Defense, Gaps are defined in terms of functional areas; relevant span and domain of military operations; intended effects; temporal matters; policy implications and constraints. Further all gaps are defined in terms of capability. The Joint Capabilities Integration Development System (JCIDS – the formal U.S. DoD procedure which defines acquisition requirements and the criteria to evaluate weapon systems) was implemented to specifically address capability gaps. But not all capability gaps require a material solution set. Changes or enactments of Doctrine, Organization, Training, Materiel, Leadership and education, Personnel, and Facilities (DOTMLPF) are also considered to close Gaps. Such considerations are formally evaluated before recommending the start of a new acquisition effort (CJCSI 3170.01E and CJCSM 3170.01B). In essence functional capabilities are assessed to identify gaps.

It is relevant to mention the pioneering work by Lawrence Miles to formally recognize and focus attention on functions of a product. Product functions create (or cause) performances relative to costs, which is both a measure of relevancy and effectiveness.

Yet Gap Analysis is concerned with the difference between the present and the future, the reality and the expected, but not with the time or discrete time-steps between these disparities. While the DoD typically formulates its development interests in a temporal domain (e.g., a timeline of activities), the development activities are construed and managed as a discrete set of events. The Systems Engineering Process Models reinforce the notion of when to move from one stage of product development to the next stage, as well as what tasks need to be completed within each stage. Consequently, the notion of a temporal juxtaposition of activities is less relevant to the event-driven



outcomes which characterize a future competitive space. In other words, Gap Analysis does not reflect when something will actually happen, only that it will happen. This defining of a Gap (in a different way than found in US acquisition policy, *DoD 5000 series*) lends itself naturally to a display of intentions that accurately reflect the constraints of event-based competition founded on the product, operations, and strategy of the various competitors.

In total, this redacting of Gap Analysis into events rather than timelines eliminates the actual propositional attributes of the competition, but retains the notional attributes. Propositional attributes iterate the validity of belief attitudes (i.e., I know what I know, I know what I want). Notional attributes include intentions and wishes (i.e., the end result is not influenced by the proposer's illative skills) (Duzi, 2002). Temporal considerations (e.g., I know when I want it) can be added as an attribute of the Enterprise Framework after forming a situational awareness in event-space. There are alternative interpretations of Enterprise Frameworks, most notably for software applications (Hafedh, Fayad, Brugali, Hamu & Dori, 2002). This study maintains that such theories can be used to surmise a means to enforce consistency in process, application, and interpretation of Gaps.

Value

The prime distinguishing characteristic of value engineering is the use of functional (or function) analysis (Miles, Larry 1972, first published 1961). Value Engineering (VE) was developed by Miles and Erlicher at General Electric in 1947 as a means to appreciate what an element of the system does rather than what it is. Value Engineering is an organized process to optimize a system's functionality versus cost. Alternatively, VE provides the necessary functions at the lowest cost, or determines which alternative design will provide the most reliable performance for a given cost. In essence, analyzing Value is the way and manner of analyzing productivity, selecting alternatives, and otherwise manipulating the ratio of Performance to Cost. For the purpose of this report, the authors will not distinguish between Value Engineering and Value Analysis. Value



Analysis (VA) is typically concerned with productivity, the use of labor, materials and profitability.

The term *Value* has many colloquial definitions, including the term's use and misuse often disguised as promoting various marketing and sales concepts. But in the main, constructs of *Value* are without merit and meaning unless there is a relationship to functions, and therefore by reference, to system objective(s) or use(s). *Value* is not synonymous with cost or investment. *Value* is the functionality and performance of a system divided by the investment to deliver or sustain same (Langford, 2005). Further, *Value* is not *Worth*, which is a measure of *Value* given risk (discussed in next section). There are different types of *Value* (use, esteem, cost, exchange, scrap, and so forth). For the purposes of this report, the authors do distinguish between the types of *Value*.

Value compares the functionality and use one receives versus what one invested (Langford, 2006). This notion of *Value* explicitly requires a buyer and seller model to determine *Value*. This presupposes that there is always a “source and a sink”, an “input and an output”, a pre-condition and a post-condition that is the determinant of *Value*. Therefore, *Value* is the ratio of the defining characteristics of the product (Functions and Performances) divided by the investment to achieve that functionality and performance. *Value* is measured in absolute terms. For example, the product shall provide a function with a specified performance. That function does 0.5 of what was paid for (as perceived from the point of view of the developer). Or perhaps, the performance was measured at 90% of the requirement. The investment expended to achieve that functionality and performance was as planned. Therefore, the value was less than desired (developer's perspective). The *Value Function (Equation 1)* relates the System *Value* to the System Use(s) or to the System function(s) and their related performances divided by the investment.

Equation 1. Value Function



$$V(t) = \frac{\sum \{F(t) * P(t)\}}{I(t)}$$

where $F(t)$ is a function performed by the system; $P(t)$ is the performance measure of the function $F(t)$; $I(t)$ is the investment (e.g., dollars or other equivalent convenience of at-risk assets); and the time, t , is measured relative to the onset of initial investment in the project. The unit of $V(t)$ is that of $P(t)$ divided by Investment (which could be quantified in terms of dollars or another meaningful measure an investment), since $F(t)$ is dimensionless.

The importance of functions was underscored in 1954 by Lawrence Miles when he conceived Value Analysis (and the subsequent development of the fields of Value Engineering and Systems Engineering) away from the parochial focus of simply providing system components. He based his functional analysis on the component parts of the product, the totality of which provided the desired functions. The purpose of functional analysis was to establish why an element exists so that alternative solutions could be generated (Green, Stuart 1996). Value Engineering is the activity which identifies and analyzes the function of products and services to achieve an overall effectiveness in providing system functionality. Systems Engineering is the activity which identifies and analyzes functions of products and services to specify the requirements that need to be built and sustained.

When applied to Gap Analysis, the metrics used for analyzing requirements are *Value* and *Risk*. *Value* is captured by the cost of Functions and their Performances, and Investment (measured in cost or investment). In common-sense fashion, value is a measure of appreciation. It may be objective or subjective. Objective value relates to the idea that there is independence of assessments viewed from various perspectives—a consensus opinion of truth. Subjective value is based on what is expected (the sum of all



corporal and abstract happenings from which you benefit and expect from a situation if you participate in a certain fashion). *Value* is simply the matter of minimizing cost or its time equivalency to develop a product. *Value* is the use that users expect (e.g., the functions and performance) for the investment they are willing to make. Further, *Value* is exemplified in the formulation of lifecycle costs and lifecycle time that express the transformation of company assets into profitably sold products that have a set of functions, performances, and quality. Each function is an activity that the product does with certain performance attributes. For each function, there can be several performance requirements. But there is never a function without a performance.

Worth

The notion of *Worth* extends the concept of *Value* to include the intangibles of an indefinite quantity or other uncertainties. We define *Worth* as an indefinite quantification of something having a specified value. An example, “I have \$20. Please give me \$20 worth of gasoline”. I have already determined that gasoline has sufficient value to warrant my purchasing it, and I have a limited budget of \$20. I am willing to purchase more gasoline at a later time, when I either have more than \$20, have more time to pump the gasoline, or have a current additional constraint removed. But, is it worth it to purchase from this vendor or another vendor at another location. Perhaps \$20 purchases more gasoline at a different location from a different vendor. The \$20 will purchase either Quantity X from vendor A or Quantity Y from vendor B, where Quantity Y > Quantity X. The difference in distance between vendor A and vendor B is 5 miles, so I must drive an additional 5 miles to transact and receive more gas than I could receive from vendor A. This presumes I know with a high degree of certainty that vendor B offers the gasoline appropriate for my use and provides similar performance at a price sufficiently lower than I can get from vendor A so as to warrant travel to vendor B. If my level of knowledge was lower about the price of vendor B, then I must consider the worth issue in light of the uncertainty that vendor B’s price would be sufficiently less than vendor A’s price. In other words, is it worth the risk to drive farther and “shop” for gasoline? The loss may be



quantifiable in the case when vendor B's price is known. Either the price is sufficiently lower or it is not to justify driving to vendor B's location. If both the price and the distance are unknown, then there is less sufficiency and greater unknowns with which to deal. These unknowns can be incorporated into the Worth function as a determination of losses. If I do not locate a gasoline vendor before I "run out of gas" I will incur additional costs of purchasing a gas can and the cost of my time converted on a cash basis. Further, if I locate a gasoline vendor and the price is higher than vendor A, then I have paid more than I could have paid.

By including the effects of high, sufficient, and low measures of quality, a decision based on Worth can be structured and evaluated in a methodical fashion. Obtaining sufficient information is typified by the trade-off between when one has paid too much or too little for either a given number of defects as measured by (1) a degradation or improvement in performance, or (2) which results in defects that are caused by certain levels of performance.

Worth is simply the ratio of the Value $V(t)$ multiplied by the Quality $Q(t)$. Performance indicates how well a function is performed by the system. In this work, quality refers to the consistency of performance (or tolerance that signifies how good the performance is) in reference to the amount of pain or loss that results from the inconsistency as described by Taguchi (1990). In essence, functions result in capabilities; performances differentiate competing products; and quality affects the lifecycle cost of the product. For each function, there is at least one pair of requirements — performance and quality. The quality requirement indicates the variation and impact of the variation of the performance requirement of a function. A system function may thus have different values of performance and the quality of a performance may have different values. The summation in Equation (1) is thus over all values of the functions, performance, and quality, for all time, and incorporating all uncertainties. Equation (2) indicates the Worth of system, as it references Value.

Equation 2. Worth Function



$$W(t) = V(t) * Q(t) = \frac{\sum F(t) * P(t) * Q(t)}{I(t)}$$

where $Q(t)$ is quality (the tolerance assigned to the performance measures) and the time, t , is measured relative to the onset of initial investment in the project. We refer to the delineation of a function in terms of its performance and the quality of the performance as the triadic decomposition of the function. If the unit of $Q(t)$ can be converted to the unit of $I(t)$ (Equation 1), then the unit of $W(t)$ is that of $P(t)$, since $F(t)$ is dimensionless. $Q(t)$ can be thought of as a loss that is incurred.

Several schemes have been proposed to define and structure requirements, such as functions, performance, and tolerances/ physical synthesis by Wymore (1993), hierarchical task analysis by Kruchten (2000), decomposition coordination method of multidisciplinary design optimization by Jianjiang (2005), functional descriptions by Browning (2003) and Cantor (2003), and non-functional descriptions by Poort (2004). The functional triadic decomposition proposed in this work forms a basis for a management tool that provides a structure to control the project. Again, triadic decomposition prescribes that every function is imbued with the necessary and sufficient attributes of performance and quality. It forms a basis for a management tool that provides a structure to control the project.

Control centers on three functions (again, each with associated performance and quality): Regulate (monitor and adjust); govern (define limits, allocate resources, determine requirements, and report); and direct (lead, organize, and communicate).

Traditional functional analysis, supplemented with the triadic decomposition, is conjectured to result in a complete and comprehensive set of requirements. The resulting functional decomposition, together with commensurate system specifications



and the mechanisms of action or activity (e.g., creation, destruction, modulation, translation, transduction), should form a basis upon which a system can be designed and built using the classical set of system development models, such as the spiral, “Vee”, and waterfall model.

The Value of a product is thus quantified according to Equation (1) and the Worth of a product is quantified according to Equation (2). From the manufacturer’s point-of-view, a “product’s worth” is one that has met some investment criteria for the desired set of functionality, performance, and quality requirements. From the purchaser’s (consumer’s) point-of-view, the expression in Equation (2) aids in the trade between the applicability of a purchased product (in terms of the item’s functionality, performance, and quality) and the total cost and time invested in the purchase and use of the product.

Value and Worth are calculated at the moment of the agreed exchange of product/services for a given amount or recompense. Worth reflects the uncertainties based on losses that are associated with the exchange. These exchanges (or interactions between elements) are quantifiable and may have a net impact on the Value and Worth of the system, or in the exchange between two or more systems through their respective elements, a system(s) of systems interaction. We are interested in the interactions that have consequences that are measurable in the lifecycle of the product or service. To incorporate this level of minimum interest, we introduce the concept of a Net Impact that is defined as a consequence that exceeds a threshold that is determinable to be of interest.

Worth Transfer Function. In control theory, a transfer function is a mathematical representation of the relation between the input and output of a system. A Worth transfer function (WTF) between two elements of a system is defined to be the exchange of Worth between the two elements. Worth is what is received (in terms of usefulness) for an investment. This exchange necessarily assumes some measure of risk. Given risk, a WTF can thus be either a manifestation of the state, (or a change in state of a system) or



a tool to evaluate differences between the state of a system and the state of another system or between the states of two systems in a system of systems. In essence, the WTF represents various impact(s) on the state(s) of a system. The WTF can be a nested hierarchy of WTFs, all related through functional decomposition. Depending on the worth ascribed to each of the WTFs, the state(s) of the system(s) may be impacted to varying degrees. The result is that a small number of WTFs may be equivalent to a large number of irreducible WTFs.

A system is a set of elements that are either dependent or independent but interacting pairwise—temporally or physically—to achieve a purpose. The elements form the boundary of the system. This definition takes into account both the permanent and episodic interactions among elements of a system or systems of a system of systems. It thus includes the lasting and occasional interactions, as well as emergent properties and behaviors, of a system. These interactions effect transfer of energy, materiel, data, information, and services. They can be cooperative or competitive in nature, and they can enhance or degrade the system Worth, which is defined below. The pairwise interaction transfers a measure of worth from one element of a pair to the other element. We term the measure of the transferred worth the Worth Transfer Function (WTF).

Complexity. Complexity of a system is often characterized by the total quantity of units that make up the system. As described by Homer (2001) and Li (1997) it is both the number of and interactions among the units that in general are used to imply and define complexity. The system complexity thus augments the management challenge because of the large number and various types of system elements and stakeholders. In this work, complexity is reflected by the number and significance of WTFs among the elements of a system or among the systems of a system of systems. Since an element of a system may also be a stakeholder of the system, increasing the number of stakeholders increases the complexity. Managing complexity or managing stakeholders thus amounts to managing the WTFs. It must be noted that a stakeholder with a large



WTF (i.e., a funding source with many requirements) may add no more complexity than does a large number of stakeholders with a few requirements.

Risk. Using the logic in (Lowrance, 1976), Lewis (2006) defines simple risk as a function of three variables: threat, vulnerability, and damage. Replacing damage with Worth, Langford and Horng (2007) capture risk through threat, vulnerability, and Worth. An element e of a system is associated with a risk, R_e , defined by

Equation 3. Element Risk Equation

$$R_e = X_e * U_e * W_e = X_e * (1 - a_e) * W_e$$

where, * indicates the convolution that expresses the overlap and blending of factors; and where, threat, X_e , is a set of harmful events that could impact the element; vulnerability, U_e is the probability that element e is degraded or fails in some specific way, if attacked; Worth, $W_e = V[1 - L_e]$, where L_e is the loss that results from a successful attack on element e ; and susceptibility, a_e , is the likelihood that an asset will survive an attack. W_e is given by Equation (2). It may be loss of productivity, casualties, loss of capital equipment, loss of time, or loss of dollars. Susceptibility is the complement of vulnerability. Equation (3) reflects these tentative affinities. One finds vulnerabilities in a worthy system from the threats to that system.

Since an element in a system (or network) may be connected to more than one element, the number of WTFs associated with the element is the degree of the element. Subscribing to Mannai and Lewis (2007), we obtain the system risk, R , as

Equation 4. Total Risk Equation



$$R = \sum_{i=1}^{n+m} X_i * (1 - a_i) * g_i W_i$$

in which n denotes the number of elements, m the number of links or WTFs, and g_i denotes the degree of connectedness (i.e., the number of connections) to the i^{th} element.

As a result of the WTF between two elements, e_1 and e_2 , at the moment of their interaction, we have

Equation 5. Value/Risk Equation

$$\frac{W_{e_1}}{R_{e_1}} = \frac{W_{e_2}}{R_{e_2}}$$

It is the expression in Equation (4) that forms the basis for complexity management.

Discussion

The approach extends the published and private works of Langford to identify and apply measurable objectives to characterizing and analyzing Gap Analysis. The two basic metrics are competitive *Worth* and a *Cost-to-risk* ratio. Both are displayable in an Enterprise Framework.

Gap Analysis fits into the overall scheme of acquisition by providing decision-makers with a structured and objective VoA from which to procure systems that satisfy defined needs. The desired results of Gap Analysis are to: (1) predict what we need for a postulated event, (2) compare what we need to what we have, (3) identify those items that need to be changed or added along with the amount of investment in time and money required, and (4) enumerate the potential limitation of future capabilities.

Recognizing there may be no means to maintain an optimal relation between the two



limits—what we need and a potential limitation in capabilities—we assume the principles and practices of engineering are evolutionary and that the fundamental laws of physics prevail.

Further, we use generally accepted economics terminology, extended to encompass the notion that the price one pays for a product assumes and accounts for the loss realized to make the purchase (Taguchi, Chowdhury & Wu, 2005). That is, the purchase price of a product includes the cost of procurement—for example, the \$1 purchase of a pen must be increased to \$5 to include \$0.50 of gasoline, plus amortized cost of maintenance, plus insurance, plus depreciation, and plus labor rate times travel time to drive to/from and make the purchase, etc. This notion states a willingness to spend (lose) \$ x to purchase a \$1 item.

Following the accepted systems engineering process, product requirements are defined hierarchically with each successive level offering greater detail via decomposition. However, unlike the different types of requirements that attach to various process models (e.g., functional and non-functional requirements), we define all processes and products by three measures—their functions, performances, and qualities (Langford, 2006; 2007). Relative to the Investment (Cost or its equivalent) to bring a product to operational capability, the product has determinable Worth. That Worth is expressed as a ratio of total value (i.e., operational capability or use as measured in terms of a unit of performance (e.g., work, throughput...)) multiplied by Quality (effectively divided by the potential losses that could be incurred) and then divided by total lifecycle investment (i.e., expected cost for the use). As an example, if this ratio is less than 1, then the product has lower than expected worth.

Worth is related to both the vulnerabilities of the system and to the outputs of the system. The risks are a function of the threats and vulnerabilities, where threats are typed by magnitudes and frequencies; and vulnerabilities are determined by the likelihoods of success (*US Department of Defense, 2006*). The outputs of the system are related to the vulnerabilities through the price-demand elasticity curves (Lemarechal, 2001). The



competition and the marketplace determine the threats; the operational strategy determines the vulnerabilities; and the triad of requirements determines the Worth (Langford, 2007).

To investigate the multivariate probability-density functions of the Risk Equation (Equation 3), a step-wise, two-variable analysis reveals both the boundary conditions and the relationships. Table 1 shows these boundary conditions. When any of the three variables (Worth, Vulnerability, or Threat) is zero, Risk is zero. And conversely, when Risk is zero, one or more of the three variables (Worth, Vulnerability, or Threat) is zero.

Worth = 0	Risk = 0
Worth = 0	Threat = ∞
Vulnerability = 0	Risk = 0
Threat = 0	Risk = 0
Risk = 0	Threat = 0
Risk = 0	Vulnerability = 0
Risk = 0	Worth = 0

Table 1. Multivariate Boundary Conditions for Risk Equation

A product that has Worth (quantified by the Worth Equation (Equation 2), from the developer's point-of-view, is one that has met the investment criteria for the desired set of functionality, performance, and quality requirements. From the user's point-of-view, the Worth Function Equation emphasizes the trade that is made between the applicability of the purchased item (in terms of the item's functionality, performance, and quality) and the total cost and time invested to purchase and use and sustain the product. This total cost and time (accumulated over the product's lifecycle) means not only during acquisition of the product, but also during the operation of the product and, finally, its disposal. This lifetime cost and time investment can also be viewed as a total loss to society (Taguchi, 1990), or as a specified loss as defined by a set of conditions.



Within the constraints of the boundary conditions indicated in Table 1, the relative ratios of Worth/Risk for an activity, a process, or a product or service may be displayed as probability density functions, and then summarized for display purposes as single data points. Figure 1 indicates two product lines, each drawn with designated points on curves depicting desirability, acceptability, and unacceptability. Product A (indicated on the upper right) has a higher market worth-to-risk ratio than Product B (lower left). The increasing worth-to-risk ratio moves generally upward. Product A can be compared to Product B on a one-to-one basis. Product parameters that indicate movement vertically upward reflect a decreasing threat but no change in vulnerability. Products that indicate movement horizontally to the left reflect decreasing vulnerability but no change in threat. Products that compete on price, such as the lower-priced Product B in Figure 1, have Event-space Strings (Langford, 2007) that are displaced upwards relative to their higher-priced competitors. Event-Space Strings are made up of sequences of causal events. These events are separated by probabilistic transitions rather than either temporal or spatial (in the sense of being an adjacent event in a series) idealizations.

Consequently, Product B has a "Desired" position, which is higher than that of Product A's "Acceptable" position in the competitive Enterprise Framework. The higher position is indicative of the lower price (the lifetime cost to the consumer). If the lower price was offset by reduced functionality, performance, or quality, then the Worth would not increase. Product B is also located to the left of Product A, which indicates a reduction in vulnerability. This implies reduced risk and reduced threats. Therefore, as a competitive strategy, offering the lowest price with the highest utility is an efficacious strategy when competitors are unable to match utility and pricing.






Figure 1. Enterprise Framework Illustrating the Worth-to-risk Assessment for Competing Products

The metrics for evaluating the Value-to-risk ratio or the Worth-to-risk ratio and their associated examples that describe contextual relationships are indicated in Table 2. These metrics are the rules which govern movement in the Enterprise Framework. Each rule corresponds to the impacts of business operations, competitive strategy, and the means of type of product offering. Event-space Strings are unique to a company's operations, strategy, and product offering. These rules describe the order of relative motions that have meaning appropriate to the context of a competitive space. Further, these rules are applicable to commercial products and services, the DoD battlespace, the procurement and acquisition landscapes, and the business environment considerations of business models and strategies.

In general, the Enterprise Framework is a visualization of decision-making processes in which the factors of value engineering, systems engineering, economics, acquisition, and operations research are involved. From such rules, the DoD Gap Analysis progresses in an orderly and logical fashion. Traditional statistical analysis, probability theory, and modeling are readily represented in proper context with



conventional interpretation. As such, an error analysis results in confidence intervals for each point on the Event-space Strings. The scales of threat¹ and vulnerability¹ are determined by the probability of occurrence (0 to 1) multiplied by the frequency of occurrence (rate), and the odds of successfully inflicting loss (0 to 1), respectively. The vulnerability scale can be normalized in terms of dollars or number of items. Threats can be similarly normalized, as the situation warrants. Worth can be stated in either dollars or by number of items. Risk is a number between zero and one.

Of the possible rules (Table 2) for interpreting the Enterprise Framework, thirty-one have been identified; and thus far, seventeen have been investigated. For example, Rule 1 implies a higher product utility (higher functionality, performance, and/or quality). For a decrease in vulnerability (e.g., opening a new channel of distribution) due to a new competitive entrant in the marketplace (increase in threat), Rule 2 requires an increase in Worth commensurate with an increase in the Risk the enterprise is willing to accept. If the competitive landscape does not change, and the enterprise's product remains the same, then opening up a new channel of distribution both lessens the product's vulnerability to competitive factors as well as reduces the enterprise risk with that product. Rule 4 indicates that an increase in vulnerability results in an equivalent increase in risk—if there are no changes in threat and the product remains the same. Rule 5 indicates that a decrease in threat directly results in a decrease in risk if the enterprise's product and vulnerability are unchanged. Rule 6 implies an increase in vulnerability decreases Worth (e.g., cost paid by a consumer increases due to a reduction in channel distribution) and increases the enterprise's risk if the threat landscape remains constant. Rule 7 indicates a reduction in the threat (e.g., competitors leave competitive space) results in commensurate reduction in risk, and the Worth and vulnerability stay the same. Rule 8 indicates a reduction in the threat (e.g., competitors leave competitive space) results in commensurate reduction in risk, unless either the product value or vulnerability increase—in which case, the overall risk would increase. Rule 9 indicates as the threat increases, the risk increases, assuming the Worth and vulnerability remain constant. Rule 10 indicates as the threat increases, the risk increases, unless either or both the value



and vulnerability decrease. Rule 11 implies a greater investment in time and, therefore, a lower value and, hence, a higher risk. Rules 6, 12, and 16 each imply a lower product utility (insufficient functionality, performance, and/or quality). Rule 13 implies the product utility is worthless. Rule 14 implies a lower investment (time x money) and, therefore, a higher product Worth. Rule 15 implies the product has both higher utility and higher risk and is, therefore, worth more given that the threat and vulnerability remains unchanged. Rule 17 implies a disruptive technology or discontinuous innovation (Langford & Lim, 2007).

Following-up on this last rule that drives the display and interpretation of data in the Enterprise Framework, the discovery and analysis of potentially disruptive events and technologies (Rule 17) is particularly bothersome for Gap Analysis. At issue is the degree of uncertainty that influences the choices and selection of alternatives in acquisition. The dangers of underestimating or not recognizing a disruptive technology or disruptive innovation results in a miscalculation of (1) a sound operational vision; (2) the importance of planning and implementing an appropriate operational model; (3) the understanding of the relationships between current paradigms and a disruptive technology or innovation; and (4) the requisite acquisition strategy.



Vulnerability ↓	Worth ↑	Risk -	Threat -	Rule 1
Vulnerability ↓	Threat ↑	Risk ↑	Worth ↑	Rule 2
Vulnerability ↓	Risk ↓	Threat-	Worth -	Rule 3
Vulnerability ↑	Risk ↑	Threat-	Vulnerability -	Rule 4
Vulnerability -	Threat ↓	Value -	Risk ↓	Rule 5
Vulnerability ↑	Worth ↓	Risk ↑	Threat -	Rule 6
Threat ↓	Risk ↓	Vul. -	Worth -	Rule 7
Threat ↓	Risk ↓	Unless vulnerability and/or worth ↑		Rule 8
Threat ↓	Risk ↓ or Worth ↓			Rule 8
Threat ↑	Risk ↑	Worth - and vulnerability -		Rule 9
Threat ↑	Risk ↑	Unless vulnerability and/or Worth ↓		Rule 10
Value ↓	Threat ↑	Risk -	Vulnerability -	Rule 11
Value ↓	Vul. ↑	Risk -	Threat -	Rule 12
Value ↓	Risk ↓	Threat-	Vulnerability -	Rule 13
Value ↑	Threat ↓	Risk -	Vulnerability -	Rule 14
Value ↑	Risk ↑	Risk -	Vulnerability -	Rule 15
Value ↓	Vul. ↑	Risk -	Threat ↑	Rule 16
Vulnerability ↓	Threat ↓	Worth ↑↑	Risk -	Rule 17

Table 2. Rules for Risk Equation in Enterprise Framework

Note: Up arrows indicate an increase; Double up arrows indicated a dramatic increase; Down arrows indicate a decrease; and a dash indicates no change.

Finally, the graphical display of the competitive space (Enterprise Framework) found in Figure 1 portrays the results of Gap Analysis. From the view of the Enterprise Framework, the gaps reveal the needed capabilities, the prioritization of the capabilities, and the efficacy of the proposed alternatives. In the case of weapon systems, the Enterprise Framework is the geographical battlespace. It has physical structure, command structure, information structure, and engagement structure. Each structure is depicted as temporal- and event-driven layers. Truth is established with scenarios imbued with capabilities as enacted through these structures. Additionally, the Enterprise Framework illustrates opportunity shifts, allows evaluation of potential adversaries, and guides the choices of what should be developed, indicates the system requirements that



are satisfied by various strategies, illustrates potential target segmentations, and describes geographical arenas in context of system capabilities.

General Formulation of Results

This work defines an Enterprise Framework in which to display the results of analyzing a Gap. For the purposes of this paper, an Enterprise Framework is a marriage of business parameters (reflecting operations and strategy) and product parameters (functions, performance, and qualities). The marriage is bonded through the structure of an expression of *Risk* (Equation 2).

In essence, the Enterprise Framework is an application framework that includes a multivariant view of a competitor's objectives, structure, and behavior. It is an adaptation of human activities into an abstraction that models the differences between these objectives, structures, and behaviors. Further, the framework is constrained by only two factors: geographical boundaries (for contextual structure) and a common event (to bring specificity to the nature of the competition).

Unlike the products of the domain analysis process, which implies a reference model for the semantics of the application domain, the Enterprise Framework described in this paper does not distinguish between such reference models, reference architectures, and the results of mapping a reference model (domain model) into an architecture style. Further, our Enterprise Framework is also not only an analysis-only enterprise framework (Hafedh et al., 2002). It generally suffices to investigate the interfaces between a subject or action (e.g., issues, process or activity and other issues, processes or activities) and other subjects or actions.

However, in the case of Gap Analysis, it has proven to provide additional insight into its nature to examine its territory—the makeup of and changes in its surrounds, environs, relationships, and key drivers. There are different types of Gap Analysis “domains.” Some of these domains are constrained by organizational demands,



sometimes by personality issues, and sometimes by other circumstances. The internal structure of the Gap Analysis domains are arranged in particular patterns within an organization. Continuous functions (or patterns) are built and sustained by authoritative proclamation. Over time, such structures evolve to a mature environment that supports decision fitness and reliability in process planning. However, when the Gap Analysis territory is invoked, organized, structured, and enacted in response to stimuli, the outcomes of the work are predictably inconsistent and generally low in efficacy (Langford et al., 2006, December).

Additional questions arise in formulating an overall strategy to analyze Gap Analysis: Do all organizations have Gap Analysis policies, strategy, procedures, processes, and rules? Are the enactments the same? How does Gap Analysis differ within and across organizations? What are the priority and process necessities that are observed? How and why does the position of Gap Analysis within an organization matter? Do the organization's position and priorities affect how Gap Analysis is performed, how it is interpreted, why it is done, how it is done, who does it, what is done, or when it is done? Are there general (or simple) rules that apply to all Gap Analyses?

These questions focus on the crux of the rules, roles (responsibilities), and mechanisms that determine how Gap Analysis is organized, and how host organizations change during the Gap Analysis process. It is one of the purposes of this research to move beyond the descriptive and correlative aspects of investigating Gap Analysis. While such an early mapping activity provides the necessary framework to begin to understand and further to identify areas for additional investigation, it is essential to identify the mechanisms responsible for the dynamics of Gap Analysis, and to then determine how these mechanisms respond and contribute to the psychological cues, such as stimulation through signaling pathways.

The Enterprise Framework is a tool, a means to comprehend competitive business and operational models and product offerings, structured in forms that compare and definitively rate each. Additionally, market segmentations, niches, products, and upgrade



strategies are readily apparent when coupled with a backward-looking series of event-space framings. An example of a generic Enterprise Framework is shown in Figure 1.

Threat to the competitive offering is plotted versus its vulnerability. Risk is held constant and Worth (Function, Performance, Quality divided by Investment) increases to the upper right. Upgrading a product moves the data point along the curve from the left to the right. The range of acceptability is indicated as Unacceptable (on the left) to Desirable (on the right). A Gap represents the space between data points. Moving from one curve to the next also indicates a Gap, but not an upgrade of an existing product. Rather, this Gap represents a form of Disruptive Technology in the competitive landscape. Increasing Worth is indicated as moving “up” the curves to the top and to the left. Decreasing Worth is indicated as moving “down” the curves to the bottom and to the right. The rules indicated in Table 2 illustrate the meanings and visualizations of Gaps. The scales of Threat⁻¹ and Vulnerability⁻¹ are relative scales for local normalization of the competitive parameters. On a more global summarization of Worth across multiple competitive domains, there are other issues, such as localized determination of value versus universal principles of value. For example, is it more valuable to go to a restaurant or to invest in a set of cooking utensils? Is it worth more to make such an investment? Some of the factors that need to be considered are the opportunities from “networking” at the restaurant, versus the long-term investment in lowering the cost of eating. For the purpose of this paper, the authors relate only the localized competitive factors when comparing products.



Results

DoD Competition

In DoD competition, the basic parameters of Equation 3 are compared for two products (P-1 and P-2). P-1 is shown as the yellow curve and competes with P-2 (shown on the blue curve). P-1 becomes a standard and P-2 joins the standard (shown as the red curve). The Risk of Loss (R_L) is specified a priori; the Risk of Pricing (R_P) is determined by the 15% competitive pricing law (Draper, 1998) and is, therefore, not a risk factor; the threats (X) are determined by the competitive marketplace factors (e.g., market share and customer loyalty); the vulnerabilities (U) are determined by the enterprise strategy (e.g., partnerships, branding, and image); the product's functionality (F) is determined in both a relative sense (e.g., competition), and in an absolute sense (e.g., customer expectation); the product's performance (P) is assumed to meet the expectations of the customer and the user; the product's quality (Q) is determined by the lifecycle cost measure or loss to the consumer (rather than the typical denotation of quality as merely a tolerance attribute of a performance requirement (Pahl & Beitz, 1995)); and the Time to develop the product is likewise considered to be competitively similar in duration.



	R_L	R_P	X	U	F	P	Q	T
P-1	h	-	l	-	l	-	h	-
P-2	l	-	h	-	h	-	l	-

1. Determine V/R : $V_2/R_2 > V_1/R_1$

2. Determine X: $X_2 > X_1$

- Product 1 becomes standard.
- Product 2 joins standard and decreases X, decreases T, or Increases Q or P to compete.




Figure 2. Gap Analysis—Commercial Competitive Assessment



Summary and Conclusions

Gap Analysis is fundamental to the US DoD acquisition system. The dismal results of time and cost overruns, ineffective use of constrained resources, and missed opportunities to make improvements without jeopardizing schedule and cost drive a critical evaluation of DoD acquisition (Rumsfeld, 2001). Since the cost and the success of acquisition are in as much constrained by the initial conditions, it is prudent to develop and apply tools that can help improve both the evaluation and the processes of acquisition. Gap Analysis, one of the key early-phase drivers of the acquisition process, has significant room for improvement.

This paper discusses the Systems Engineering Value Equation (Value Engineering) and the Worth Function in the context of the ratio of triadic decomposition of requirements based on functions, performance, and quality to the investment in time and cost. Investors and stakeholders have expectations about products they support. These expectations necessarily need to be complemented with a rigorous analysis of gaps. The notion has general adaptability and applicability to commercial and DoD acquisition. In the commercial sense, the Gap Analysis tools can be used to better position products in competitive market space. In the DoD sense, more effective use of constrained resources can be applied to military development activities.

The application of Gap Analysis to the general problem of satisfying requirements is challenged by more than simply improving the methodology. Methodology that is encumbered with time-consuming steps and overburdened processes does not improve Gap Analysis. It is only through a streamlining of Gap Analysis that is efficacious, effective, and efficient that the forces and consequences of acquisition are better served. Thus, it is much more than determining merely what can be improved with Gap Analysis and more to the point, to determine how to improve the outcomes of Gap Analysis (which includes the time to complete the Gap Analysis process). To that end, the actions of Gap Analysis should not be obstructed



by insistence on unnecessary procedures and folderol. Straightforward application of the formulations laid out in this report result in the application of sound value engineering and the systems engineering that have generally become widely accepted as standard practices.

At least some future research on Gap Analysis should concentrate on the further expansion of the standards of earned value management as well as the integration of new management practices to exploit fully the prowess of value engineering and systems engineering.



List of References

- Browning, Deyst, Eppinger and Whitney. (2000). "Complex System Product Development: Adding Value by Creating Information and Reducing Risk." Proceedings of the Tenth Annual International Symposium of INCOSE. Minneapolis, MN. July 16-20.
- Cantor, Murray, (2003) "Thoughts on Functional Decomposition", Rational Edge Apr.
http://www.therationaledge.com/contentapr_03/f_functionalDecomp_mc.jsp
- Chairman of the Joint Chiefs of Staff. (2004), "Joint Capabilities Integration and Development System, CJCSI 3170.01D, 12 March.
- Draper, T. (1998). *Private communication*. Menlo Park, CA: Draper, Fisher, Jurvetson.
- Duzi, Marie. (2002) "Notional Attitudes", Grant GACR: 401/03/1403 – Principles of Logical analysis of language expressions and Intensional Logic, VSB-Technical University of Ostrava, Czech Republic.
- Green, S. (1996). PhD Thesis, Smart Value Management: A Group Decision Support Methodology for Building Design. Department of Construction Management & Engineering. University of Reading, UK.
- Hafedh, M., Fayad, M., Brugali, D., Hamu, D., & Dori, D. (2002). Enterprise frameworks: Issues and research directions. *Software Practice and Experience*, 32,801-831 (DOI:10.1002/spe.460)
- Homer, S. and Selman, Alan L. (2001). *Computability and Complexity Theory*, Springer-Verlag.
- Jianjiang Chen, Yifang Zhong, Renbin Xiao, Jianxun Sun, (2005). "The research of decomposition-coordination method of multidisciplinary collaboration design optimization," *Engineering computations: International Journal for computer-Aided Engineering and Software*, Vol 22, No. 3, (2005) pp.274-285.
- Kruchten, P. (2000). *The Rational Unified Process*, 2nd Edition, Addison Wesley.
- Kujawski, E. (2007). Private communications, Naval Postgraduate School, Department of Systems Engineering.



- Langford, G. (2005). "Reducing Risk of New Business Start-ups Using Rapid Systems Engineering", Paper #140, Fourth Annual Conference on Systems Engineering Research, 7-8 April 2006).
- Langford, G. (2006). Reducing risk of new business start-ups using rapid systems engineering (Paper # 140). *Proceedings of the Fourth Annual conference on Systems Engineering Research*, April 7-8, 2006.
- Langford, G. (2007). Reducing risk in designing new products using rapid systems engineering (Paper # 18). *Proceedings, Asia-Pacific Systems Engineering Conference*, March 23-24, 2007.
- Langford, G., & Lim, H. (2007). Predicting and assessing disruptive technologies using event space modeling (Paper # 40). *Proceedings, Asia-Pacific Systems Engineering Conference*, March 23-24, 2007.
- Langford, G.O., Franck, R., Lewis, I., Huynh, T., Osmundson, J., & Sullivan, N. (2006, December). *Gap Analysis*. Contract sponsored by the US Office of Secretary of Defense.
- Langford, G, and Huynh, T. (2007). "A Methodology for Managing Complexity", Systems Engineering Test and Evaluation – Complex Systems and Sustainability, October, Sydney, Australia.
- Lemarechal, C. (2001, January). Computational combinatorial optimization: Optimal or probably near-optimal solutions. *Lecture Notes in Computer Science*, 2241, 112.
- Lewis, T. (2006). *Critical Infrastructure Protection in Homeland Security*, John Wiley & Sons, New Jersey.
- Li, M. and P. Vitanyi. (2006). *An Introduction to Kolmogorov Complexity and Its Applications*, Springer Verlag.
- Lowrance, W.W. (1976). *Of Acceptable Risk*, William Kaufman, Inc.
- Al Mannai, W.I. and T.G. Lewis. (2007). "Minimizing Network Risk and Application to Critical Infrastructure Protection, preprint from Journal of Information Warfare, Volume 6, Issue 2, pp. 52-68.
- Merton, R. (1938). Social structure and anomie. *American Sociological Review*, 3, 672-682.
- Miles, L. (1972) *Techniques for Value Analysis and Engineering*, 2nd Edn. McGrawHill, New York [first published 1961].



- Pahl, G., & Beitz, W. (1995). *Engineering design: A systematic approach* (2nd ed.). New York: Springer-Verlag.
- Poort, Eltjo and de With Peter, (2004). "Resolving Requirement conflicts through Non-Functional Decomposition", IEEE computer Society, Proceedings of the Fourth Working IEEE/IFIP conference on Software Architecture (WICSA'04)," pages 11-14. IEEE Press, 145-154.
- Rumsfeld, D. (2001, September 10). Remarks on DoD acquisition and logistics excellence week kickoff—Bureaucracy to battlefield. Retrieved 22 September 2007 from <http://www.defenselink.mil/speeches/2001/s20010910-secdef.html>.
- Sproles, Noel. (2002), "Formulating Measures of Effectiveness", Journal of systems Engineering, 5, 253 – 263.
- Taguchi, Genichi. (1990), "*Introduction to Quality Engineering*," Asian Productivity Organization.
- Taguchi, G, Chowdhury, S, & Wu, Y. (2005). *Taguchi's quality engineering handbook*, Hoboken, New Jersey. Wiley.
- US Department of Defense. (16 December 2004). *Defense acquisition guidebook*. Chapter 1.3. Retrieved June 20, 2006, from <http://akss.dau.mil/dag/>.
- Von Boehm-Bawerk, E. (1909-1912). *Kapital and kapitalzins: Positive theorie des kapitaless*. Zweite Abteilung, ISBN: 387881061X Stitch-sewn edition.
- Wymore, W., (1993) *Model-Based Systems Engineering*, CRC Press, Inc.



THIS PAGE INTENTIONALLY LEFT BLANK



Initial Distribution List

1. Defense Technical Information Center 2
8725 John J. Kingman Rd., STE 0944; Ft. Belvoir, VA 22060-6218
2. Dudley Knox Library, Code 013 2
Naval Postgraduate School, Monterey, CA 93943-5100
3. Research Office, Code 09 1
Naval Postgraduate School, Monterey, CA 93943-5138
4. Robert N. Beck 1
Dean, GSBPP
555 Dyer Road, Naval Postgraduate School, Monterey, CA 93943-5000
5. Bill Gates 1
Associate Dean for Research, GB
555 Dyer Road, Naval Postgraduate School, Monterey, CA 93943-5000
6. Gary Langford 1
Lecturer, SE
777 Dyer Road, Naval Postgraduate School, Monterey, CA 93943-5000
7. Raymond (Chip) Franck 1
Senior Lecturer, GB
777 Dyer Road, Naval Postgraduate School, Monterey, CA 93943-5000
8. Tom Huynh 1
Associate Professor, SE
777 Dyer Road, Naval Postgraduate School, Monterey, CA 93943-5000
9. Ira Lewis 1
Associate Professor, GB
777 Dyer Road, Naval Postgraduate School, Monterey, CA 93943-5000
10. Karey L. Shaffer 1
Program Manager, Acquisition Research Program, GB
555 Dyer Road, Naval Postgraduate School, Monterey, CA 93943-5000

Copies of the Acquisition Sponsored Research Reports may be printed from our website www.acquisitionresearch.org



THIS PAGE INTENTIONALLY LEFT BLANK



2003 - 2006 Sponsored Acquisition Research Topics

Acquisition Management

- Software Requirements for OA
- Managing Services Supply Chain
- Acquiring Combat Capability via Public-Private Partnerships (PPPs)
- Knowledge Value Added (KVA) + Real Options (RO) Applied to Shipyard Planning Processes
- Portfolio Optimization via KVA + RO
- MOSA Contracting Implications
- Strategy for Defense Acquisition Research
- Spiral Development
- BCA: Contractor vs. Organic Growth

Contract Management

- USAF IT Commodity Council
- Contractors in 21st Century Combat Zone
- Joint Contingency Contracting
- Navy Contract Writing Guide
- Commodity Sourcing Strategies
- Past Performance in Source Selection
- USMC Contingency Contracting
- Transforming DoD Contract Closeout
- Model for Optimizing Contingency Contracting Planning and Execution

Financial Management

- PPPs and Government Financing
- Energy Saving Contracts/DoD Mobile Assets
- Capital Budgeting for DoD
- Financing DoD Budget via PPPs
- ROI of Information Warfare Systems



- Acquisitions via leasing: MPS case
- Special Termination Liability in MDAPs

Logistics Management

- R-TOC Aegis Microwave Power Tubes
- Privatization-NOSL/NAWCI
- Army LOG MOD
- PBL (4)
- Contractors Supporting Military Operations
- RFID (4)
- Strategic Sourcing
- ASDS Product Support Analysis
- Analysis of LAV Depot Maintenance
- Diffusion/Variability on Vendor Performance Evaluation
- Optimizing CIWS Life Cycle Support (LCS)

Program Management

- Building Collaborative Capacity
- Knowledge, Responsibilities and Decision Rights in MDAPs
- KVA Applied to Aegis and SSDS
- Business Process Reengineering (BPR) for LCS Mission Module Acquisition
- Terminating Your Own Program
- Collaborative IT Tools Leveraging Competence

A complete listing and electronic copies of published research within the Acquisition Research Program are available on our website: www.acquisitionresearch.org





ACQUISITION RESEARCH PROGRAM
GRADUATE SCHOOL OF BUSINESS & PUBLIC POLICY
NAVAL POSTGRADUATE SCHOOL
555 DYER ROAD, INGERSOLL HALL
MONTEREY, CALIFORNIA 93943

www.acquisitionresearch.org