



**Calhoun: The NPS Institutional Archive**  
**DSpace Repository**

---

Others Look at NPS

Articles and Reports about NPS (External)

---

2015-07-06

## Novel Thesis Project Turned Patent Offers Satellite Solutions

Stewart, Kenneth A.; CHIPS Magazine

U.S. Department of the Navy

---

<http://hdl.handle.net/10945/48262>

*Downloaded from NPS Archive: Calhoun*



Calhoun is a project of the Dudley Knox Library at NPS, furthering the precepts and goals of open government and government transparency. All information contained herein has been approved for release by the NPS Public Affairs Officer.

**Dudley Knox Library / Naval Postgraduate School**  
**411 Dyer Road / 1 University Circle**  
**Monterey, California USA 93943**

<http://www.nps.edu/library>



## Novel Thesis Project Turned Patent Offers Satellite Solutions

By Kenneth A. Stewart - July 6, 2015



Deputy Secretary of Defense Robert O. Work, right, discusses the university's latest efforts in CubeSat research with NPS Space Systems Academic Group Professor Jim Newman, left, in the Small Satellite Test and Development Laboratory during a campus visit, June 19. Through a long-standing research effort in small satellites, Newman, along with NPS graduates Cmdr. William Crane and Paul Oppenheimer, and Associate Professor Marcello Romano were recently issued a patent for a novel release actuator, the Micro-coupling Active Release Mechanism, that may one day be used aboard satellites and other spacecraft. Photo courtesy of NPS.

Naval Postgraduate School (NPS) alumnus Cmdr. William Crane along with NPS Professor Jim Newman, NPS Associate Professor Marcello Romano and NPS alumnus Paul Oppenheimer, an engineer with Naval Research Laboratories, were recently issued a patent for a novel release actuator, the Micro-coupling Active Release Mechanism, that may one day be used aboard satellites and other spacecraft.

The Micro-coupling Active Release Mechanism leverages the unique properties of a shape memory alloy (SMA) whose characteristics almost seem to defy physics.

"SMA is not a naturally occurring substance. It is made of nearly equal parts nickel and titanium," explained Crane. "The easiest way to think about it is 'metal shrink wrap.' Normally, heated metal expands, but SMAs do the opposite, they shrink."

The release mechanism works like this: a cylinder made of an SMA in its inert state is inserted into a hardened steel hub. The outer diameter of the shaft is bigger than the hole in the steel hub and when forced together under high pressure, an "interference joint" is created.

The interference joint concept has been used for over a century in the construction of gears.

"When making a gear, the gear is heated so that it expands and the hole in its center gets bigger, then a shaft is placed into the hole. When the gear cools, the shaft is trapped, shrink fit ... versus forcing a shaft into a hole, force fit," explained Crane.

But while the inference joint is not a new concept, Crane's incorporation of SMAs into the process has taken a tried-and-true method and turned it on its head. When heat is applied to an interference joint made with SMA, the SMA contracts rather than expands, and the resulting loss of diameter in the SMA shaft allows a previously force fit SMA tube to be released with minimal force. "The process can be used to develop any number of coupling devices. We first patented the concept, then added provisions relative to its various uses and possible configurations," said Crane. "When I figured out that this is something that could be used in a coupling device for small satellites, it was a real 'ah ha' moment."

The properties of SMAs vary dependent upon their particular metallic make up and whether they expand or retract is dependent upon the stimuli to which they are subjected. The SMA used by Crane and his colleagues, like most SMAs, has the ability to not only contract when heated, but to return to its "memory shape" when it cools, ensuring that the release mechanism can be used repeatedly.

According to Newman, one of the patented mechanism's strengths is its simplicity.

"The SMA interference joint is designed with very few parts. Its simple, single-motion actuation minimizes failure modes and increases coupling mechanism reliability," said Newman.

Oppenheimer worked with Crane on the release mechanism while studying at NPS.

"I was a student at the same time as Cmdr. Crane. I had experience looking at the same SMA, but I was using it for a different application. My experience with the SMA and my professional background in engineering devices of this nature allowed me to work with Cmdr. Crane as he developed the release actuator leading to this patent," he said.

### Related CHIPS Articles

[3rd Offset Strategy 101: What It Is, What the Tech Focuses Are](#)

[Cold Front: ONR Researchers Explore Arctic Land and Sea at Navy ICEX](#)

[New NIST Security Standard Can Protect Credit Cards, Health Information](#)

[NPS Team Patents New Global Positioning Method Using Broadcast TV Signals](#)

[U.S. Navy History and Week in Review](#)

### Related DON CIO News

[DON CIO's Fumie Wingo Receives 2016 Federal 100 Award](#)

[DON Senior Spectrum Manager Elected to IRAC Agency Vice Chair Position](#)

[Take Precaution Before Use of Cell Phone Signal Boosters](#)

[2013 DON IM/IT Excellence & Electromagnetic Spectrum Award Winners Announced](#)

[Increasing the Dynamic of Spectrum Access](#)

Oppenheimer sees potential for the patent in the growing field of cube satellites, or CubeSats, small, inexpensive satellites whose versatility and low price tag have opened up a slew of satellite deployment options.

"One of the things that always been lacking in CubeSats has been a robust, mechanical release device. The things that we use in regular spacecraft do not scale down to the appropriate size for a CubeSat," said Oppenheimer.

"Other processes can cause up to 20-Gs of impulse force ... 20-Gs on a small satellite can be devastating. But with our process very minimal force is necessary," added Crane.

Oppenheimer also noted that other low-G processes have been less than desirable.

"People have been tying fishing wire around resistors [to create low-g release mechanisms for CubeSats]. NASA wasn't very happy that they were holding things down with fishing line," explained Oppenheimer. "This was a novel approach to solving [the low-G problem] ... it fits the form factor, the size and shape necessary for a CubeSat."

Both Oppenheimer and Newman see numerous commercial applications for the patent.

"I definitely think there is a market for this. I don't know of any competition that can perform at this level. There is no comparable market for this class of actuator. If you need a high force, low volume actuator, I know of no other device that is in the same class," said Oppenheimer.

"The invention has applications in new and existing Navy, DOD and commercial satellite systems where dependable release mechanisms are needed," added Newman. "The invention shows promise as a zero-shock, non-explosive actuator that is secure when exposed to heavy loads, yet reliably actuates upon command."

Crane has graduated from NPS and returned to the fleet, but like many NPS graduates, the research that he conducted as part of his graduate education may one day contribute to the future of both defense and civilian applications in space operations.

TAGS: [InfoSharing](#), [Spectrum](#), [Telecommunications](#)

CHIPS is an official U.S. Navy website sponsored by the Department of the Navy (DON) Chief Information Officer, the Department of Defense Enterprise Software Initiative (ESI) and the DON's ESI Software Product Manager Team at Space and Naval Warfare Systems Center Pacific.

Online ISSN 2154-1779; Print ISSN 1047-9988

## Related DON CIO Policy

DON Enterprise Mobility 2008

DON Security Guidance for Personal Electronic Devices