



Calhoun: The NPS Institutional Archive
DSpace Repository

NPS Scholarship

Publications

2014-12

Parameterization of cumulative mean behavior of simulation output data

Singham, Dashi I.; Atkinson, Michael P.

D.I. Singham, M.P. Atkinson, "Parameterization of cumulative mean behavior of simulation output data," Proceedings of the 2014 Winter Simulation Conference, 7-10 Dec 2014, Savannah, GA, pp. 4069-4070
<https://hdl.handle.net/10945/48834>

This publication is a work of the U.S. Government as defined in Title 17, United States Code, Section 101. Copyright protection is not available for this work in the United States.

Downloaded from NPS Archive: Calhoun



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

Dudley Knox Library / Naval Postgraduate School
411 Dyer Road / 1 University Circle
Monterey, California USA 93943

<http://www.nps.edu/library>

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE DEC 2014		2. REPORT TYPE		3. DATES COVERED 00-00-2014 to 00-00-2014	
4. TITLE AND SUBTITLE Parametrization of Cumulative Mean Behavior of Simulation Output Data				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Postgraduate School,1411 Cunningham Rd,Monterey,CA,93943				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Proceedings of the 2014 Winter Simulation Conference, 7-10 Dec 2014, Savannah, GA.					
14. ABSTRACT We develop a new measure of reliability for the mean behavior of a process by calculating the probability that the cumulative sample mean will ever deviate from its long-term mean, and its true mean, over a period of time. This measure can be used as an alternative to estimating system performance using confidence intervals. We derive the tradeoffs between four critical parameters for this measure: the underlying variance of the data, the starting sample size of a procedure, and the precision and confidence in the result.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

PARAMETRIZATION OF CUMULATIVE MEAN BEHAVIOR OF SIMULATION OUTPUT DATA

Dashi I. Singham
Michael P. Atkinson

Naval Postgraduate School
1411 Cunningham Road
Monterey, CA 93943, USA

ABSTRACT

We develop a new measure of reliability for the mean behavior of a process by calculating the probability that the cumulative sample mean will ever deviate from its long-term mean, and its true mean, over a period of time. This measure can be used as an alternative to estimating system performance using confidence intervals. We derive the tradeoffs between four critical parameters for this measure: the underlying variance of the data, the starting sample size of a procedure, and the precision and confidence in the result.

1 INTRODUCTION

We propose a new metric for evaluating system performance that is stronger than the traditional confidence interval. We present a measure of reliability for the cumulative mean behavior of a process, by calculating the probability that the sample mean of a time series stays within some fixed distance from its long-term mean after a given initial sample size. The long-term mean could be the true mean, or the sample mean after a long period of time. The underlying time series is assumed to meet the conditions for a functional central limit theorem (FCLT), an assumption used in many simulation output analysis methods.

We calculate this measure by structuring simulation output data as a standardized time series (Schruben 1983), which under the FCLT assumption is a Brownian bridge in the limit. Manipulating the standardization allows us to evaluate the difference between the cumulative mean and the long-term mean as a function of a Brownian bridge. We derive a lower bound for the probability that this difference between the means is always less than a specified amount after a specified initial sample size by calculating boundary crossing properties of Brownian bridges. This measure provides more information than a traditional confidence interval, which only evaluates the cumulative mean once.

In addition to the implications for confidence interval procedures, this measure is useful in experimental settings. Examples include evaluating a production system over a year, where cumulative average performance each month converges to average performance over the year. We may be interested in knowing the likelihood that the cumulative performance early in the year will deviate from the end of year results.

2 A MEASURE OF RELIABILITY FOR MEAN BEHAVIOR

We calculate the probability that the cumulative sample mean of simulation output data Y_i after k initial samples, which is $\bar{Y}_i, i = k, \dots$ ever deviates from its long term mean \bar{Y}_m , or its true mean μ , by more than δ . Let σ^2 be the variance of the Y_i data points, δ be the allowable deviation, and m be the total sample size. We write this measure, standardized by time, as PB (probability in bounds):

$$PB \equiv P \left(\bigcap_{t \in [k/m, 1]} \left| \frac{1}{m} \sum_{i=1}^m Y_i - \frac{1}{\lfloor mt \rfloor} \sum_{i=1}^{\lfloor mt \rfloor} Y_i \right| \leq \delta \right).$$

Our result gives a lower bound for PB .

Theorem 2.1. Let Φ be the cumulative distribution function of the standard normal distribution. Under the FCLT assumption, the probability that the cumulative sample mean \bar{Y}_i stays within distance δ from the long-term mean \bar{Y}_m over the range $i = k, \dots, m$ has a lower bound

$$PB_L(\delta, \sigma, k, m) = 1 - 4 \sum_{j=1}^{\infty} \left(\Phi \left(\frac{\delta \sqrt{k}}{\sigma \sqrt{1 - \frac{k}{m}}} (4j - 1) \right) - \Phi \left(\frac{\delta \sqrt{k}}{\sigma \sqrt{1 - \frac{k}{m}}} (4j - 3) \right) \right).$$

The lower bound for the probability that the sample mean \bar{Y}_i stays within distance δ from μ over the range $i = k, \dots, \infty$ as $m \rightarrow \infty$ is

$$PB_L(\delta, \sigma, k) = 1 - 4 \sum_{j=1}^{\infty} \left(\Phi \left(\frac{\delta \sqrt{k}}{\sigma} (4j - 1) \right) - \Phi \left(\frac{\delta \sqrt{k}}{\sigma} (4j - 3) \right) \right). \tag{1}$$

3 RESULTS AND CONCLUSIONS

Figure 1 shows PB_L in the limit as $m \rightarrow \infty$ for a variety of combinations of k and δ/σ using (1). Because δ and σ only appear in (1) as δ/σ we condense them to one term on the y -axis. On the x -axis, as k increases we see that PB_L increases, because the sample mean is more likely to deviate from the true mean at smaller sample sizes. On the y -axis, when δ is high relative to σ , PB_L is higher because the bounds are loose relative to the variance of the procedure. However, when σ is large, this ratio decreases and the probability of staying within the bounds decreases. This shows the importance of having δ/σ relatively large, for any value of k , or alternatively, if a small δ is required, to use a larger k .




Figure 1: Calculation of (1) showing PB_L for a range of values of k and δ/σ , as $m \rightarrow \infty$.

REFERENCES

Schruben, L. 1983. “Confidence Interval Estimation Using Standardized Time Series”. *Operations Research* 31 (6): 1090–1108.