



**Calhoun: The NPS Institutional Archive**  
**DSpace Repository**

---

NPS Scholarship

Publications

---

1990

# Learning to Learn: The Art of Doing Science and Engineering, Session 15:

Hamming, Richard W.

Monterey, California: Naval Postgraduate School

---

<https://hdl.handle.net/10945/59482>

---

This publication is a work of the U.S. Government as defined in Title 17, United States Code, Section 101. Copyright protection is not available for this work in the United States.

*Downloaded from NPS Archive: Calhoun*



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

**Dudley Knox Library / Naval Postgraduate School**  
**411 Dyer Road / 1 University Circle**  
**Monterey, California USA 93943**

<http://www.nps.edu/library>

# Richard W. Hamming



## Learning to Learn

The Art of Doing Science and Engineering

## Session 15: Digital Filters II



# Digital Filters

**Endless mistake to think that something new is just like the past.**


**Earliest filters smoothed first by 3's and then by 5's.**

**Removes frequencies from a stream of numbers.**



# Digital Filters

$$H(\omega) = \left\{ \frac{\sin(3\omega/2)}{3\sin(\omega/2)} \right\}$$





# Design of a Simple Filter

In theory angular frequency is used, but in practice rotations are used.

$$f = \omega / 2\lambda \quad (-1/2 < f < 1/2)$$

$$y_n = au_{n-1} + bu_n + au_{n+1}$$

**Substituting in the eigenfunction**

$$\exp\{2\lambda ifn\}$$

$$H(f) = b + 2a \cos 2\lambda f$$

$$y_n = (1/2)[u_{n-1} + u_n + u_{n+1}]$$



# Design of Simple Filters

Output of the filter is the sum of three consecutive inputs divided by 2, and the output is opposite the middle input value.

n	1/6	1/3	sum
0	1	1	2
1	1/2	-1/2	0
2	-1/2	-1/2	-1
3	-1	1	0
4	-1/2	-1/2	-1
5	1/2	-1/2	0
6	1	1	2
7	1/2	-1/2	0
8	-1/2	-1/2	-1
...	...	...	...



# Design of Simple Filters

The filter decomposes the input signal into all its frequencies, multiplies each frequency by its corresponding eigenvalue, the transfer function, and then adds all the terms together to give the output.

Ideally we want a transfer function that has a sharp cutoff between the frequencies it passes and those it stops.



# Gibbs' Phenomena

**Theorem: If a series of continuous function converges uniformly in a closed interval then the limit function is continuous.**

- Story- Michelson noticed an overshoot when going from coefficients of a Fourier Series back to a function. When he asked local mathematicians about the problem, they said it was his computer.
- Gibbs, from Yale, listened and looked into the matter.





# Gibbs' Phenomena

**Simplest direct approach is to expand a standard discontinuity into a Fourier Series of a finite number of terms.**

**After rearranging, then find the location of the first maximum and finally the corresponding height of the functions there.**

**Many people had the opportunity to discover the Gibb's phenomena, and it was Gibbs that made the effort.**



# Hamming Assertion

**There are opportunities all around and few people reach for them.**

**Pasteur said, "Luck favors the prepared mind."**

**This time the person who was prepared to listen and help a first class scientist in his troubles (Gibbs) got the fame.**



# Cauchy's Textbooks


## Contradictions

- A convergent series of continuous functions converge to a continuous function.
- The Fourier expansion of a discontinuous function.

**The concept of uniform convergence.  
The overshoot of the Gibb's  
phenomena occurs for any series of  
continuous functions, not just Fourier  
Series.**



# Gibb's Phenomena



PARTIAL SUMS  $S_1$ ,  $S_5$ ,  $S_9$  FOR RECTANGULAR PULSE




Figure 15-2


# Another Feature of a Fourier Series



If the function exists then the coefficients fall off like  $1/n$ .

If the function is continuous and the derivative exists then the coefficients fall off like  $1/n^2$ .

If the first derivative is continuous and the second derivative exists then they fall off like  $1/n^3$ , etc.





# Lanczos' Window

Set up the integral for the averaging

$$\begin{aligned}
 & (N/2\lambda) \int_{x-\lambda/N}^{x+\lambda/N} g(s) ds \\
 &= (N/2\lambda) \int [ \{ a_0/2 + \sum_1^N \{ a_k \cos ks + b_k \sin ks \} \} ds ] \\
 &= a_0/2 + (N/2\lambda) \sum_1^N [ a_k/k \sin ks \Big|_{x-\lambda/N}^{x+\lambda/N} - (b_k/k) \cos ks \Big|_{x-\lambda/N}^{x+\lambda/N} ] \\
 &= a_0/2 + \sum_1^N [ a_k \cos kx + b_k \sin kx ] [ \{ \sin(\lambda k/N) / (\lambda k/N) \} ] \\
 & \sigma(N, k) = \sin(\lambda k/N) / (\lambda k/N)
 \end{aligned}$$

# Effects of Lanczos' Window



## Reduce Overshoot

- Reduced to 0.01189, a factor of 7
- Reduce first minimum to 0.00473, a factor of 10
- Significant but not a complete reduction of the Gibbs' phenomenon.
- At discontinuity the truncated Fourier expansion takes on the mid-value of the two limits, one from each side.



# Transfer Function

## Another Approach-Modified Series

$$g(x) = \sum_{-\infty}^{\infty} [c_k \exp\{kx\}]$$

$$h(x) = \sum_{-\infty}^{\infty} [d_m \exp\{mx\}]$$

$$g(x)h(x) = \sum_{n=-\infty}^{\infty} \left\{ \sum_{k=-\infty}^{\infty} [c_k d_{n-k}] \right\} \exp\{nx\}$$

$$\sum_{-K}^K [c_k d_{n-k}]$$





# Digital Filter

**A filter is the convolution of one array by another, and that in turn is the multiplication of the corresponding functions.**

$$\begin{aligned} & \exp\{iNx\} + \exp\{i(N-1)x\} + \dots + \exp(0) + \dots + \exp\{-Nx\} \\ & \exp\{iNx\} [1 - \exp\{i(2N+1)x\}] / [1 - \exp\{ix\}] (2N+1) \\ & = \sin\{N+1/2x\} / (2N+1) \sin(x/2) \end{aligned}$$



# Digital Filter

Simple modification of Lanczos' Window by changing the outer two coefficients from 1 to  $\frac{1}{2}$  produce a better window.

$(\sin x) / x$

$$w_k = (1 + \cos \pi k / N) / 2$$

Writing out in exponential form

$$1/4, 1/2, 1/4$$


Writing out in von Hann raised cosine"

$$1/4, 1/2, 1/4$$

Hamming windows" raised cosine on a platform

$$0.23, 0.54, 0.23$$

# Digital Filter



WEIGHT FACTORS FOR HAMMING AND VON HANN WINDOWS

Figure 15-4