



Calhoun: The NPS Institutional Archive
DSpace Repository

Acquisition Research Program

Acquisition Research Symposium

2014-05-01

Valuation of Capabilities and System Architectural options to Meet Affordability Requirement

Giachetti, Ronald E.

Monterey, California. Naval Postgraduate School

<http://hdl.handle.net/10945/54934>

This publication is a work of the U.S. Government as defined in Title 17, United States Code, Section 101. Copyright protection is not available for this work in the United States.

Downloaded from NPS Archive: Calhoun



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

Dudley Knox Library / Naval Postgraduate School
411 Dyer Road / 1 University Circle
Monterey, California USA 93943

<http://www.nps.edu/library>



Valuation of Capabilities and System Architectural options to Meet Affordability Requirement

Ronald E. Giachetti, Ph.D.

Professor
Systems Engineering
Naval Postgraduate School
Monterey, CA
regiache@nps.edu

May 27, 2014

Motivation



- DoD projects meet conditions that make the Real Options approach attractive for the valuation of flexibility in system architectures:
 - ◆ High uncertainty due to long anticipated operational life with technological change and a dynamic, changing operational environment
 - ◆ Flexible, modular, open architectures are a means to mitigate against the risk inherent in the uncertainty



Real Options values the flexibility built into a system architecture

Can help justify investment in flexibility up front and support analysis of alternatives

Real Options



Traditional cost analysis:

- Estimate cashflows
- Discount to obtain NPV
- Make a invest/not invest decision
- **Real Options** estimate a dollar value on the ability to make choices – decision flexibility has value!

Black-Scholes Equation

$$C = S \times N(d_1) - Ee^{-rt} N(d_2)$$

$$d_1 = \frac{\left[\ln\left(\frac{S}{E}\right) + \left(r + \frac{1}{2}\sigma^2\right)t \right]}{\sqrt{\sigma^2 t}} \quad d_2 = d_1 - \sqrt{\sigma^2 t}$$

Real Options for Capabilities



- DoD acquires systems to deliver capabilities to the warfighter

Real Options values the flexibility based on a cost-benefit analysis assuming all benefits can be put in dollar terms





Capabilities are not measured in dollars \$\$\$\$\$

- The Real Options framework needs to be adapted to the way DoD values and acquires systems


Value of Weapon Systems



- Value is in capabilities delivered by system
- Options are for additional future capabilities



(b) Combined Pareto front v1 (Pareto points denoted by +)



Architecture




The system architecture must be designed to accommodate options



Reserved space and plan for future accommodation



LCS Mission Modules




Architectural Options



The architectural options approach involves the following steps:

1. identify sources of uncertainty,
2. define measures for the capabilities,
3. model uncertainty using scenarios,
4. partition the system architecture into modules,
5. define architectural options in the architecture,
6. value options,
7. present the valuation to the decision-maker.



Operational Uncertainty



Unknown operational needs during a long lifespan



B1-B designed for nuclear mission,
converted to conventional bombing mission


Gerald R. Ford (CVN 78) anticipated
operational life of 50 years




Technological Uncertainty




Technological Evolution



Sailors in submarine
(source: undersea warfare)




Architecture Options



Modularization



Modularization
Open interfaces
infrastructure



Source: Jack Abbot, AOC Inc.
in presentation to NPS on April 27, 2006

Architecture Heuristic: Minimize coupling between subsystems
Maximize cohesion within subsystem

Interactions between subsystems




Spatial	Associations of physical space and alignment, needs for adjacency or orientation between two elements
Energy	Needs for energy transfer/exchange between two elements (e.g., power supply)
Information	Needs for data or signal exchange between two elements
Material	Needs for material exchange between two elements

Modularization Algorithm




DSM Matrix: 17-Jul-2013 12:23:47



Modularization



New DSM Matrix; 17-Jul-2013 12:23:47; Total Cost: 4640



Example



Desert Patrol Vehicle



Architecture Options:

- Engine
- Weapon
- Fuel
- Passengers
- Mission modules

Cost to design:


Engine compartment and mounts to enable option for changing engine

Increase/decrease fuel capacity

Mounts/space/interface for various weapon types

Capacity to accept future mission modules

Option Cost and Value



Conclusions



- **Motivation:** Flexibility is being left on the table – rethink system architectures in terms of “options” can help recapture and use this flexibility
 - ◆ Decision makers do think about these types of options, but the informal approach may miss options, is not based on valuation, and human cognitive limits in evaluating multiple options concurrently
- Almost all work on options has looked at options in the PROJECT, this work examined *options in the system architecture*
- Previous work values options using cost information; this work valued *capabilities using MOEs/MOPs*
- Model goes hand-in-hand with evolutionary acquisition of capabilities